## ANNUAL REVIEW OF CHRONOPHARMACOLOGY

## Volume 5

## BIOLOGICAL RHYTHMS AND MEDICATIONS

Proceedings of the Third Conference of Chronopharmacology, Nice, 14–17 March 1988

## Editors:

## A. REINBERG

Fondation A. de Rothschild, Paris, France

## M. SMOLENSKY

University of Texas, Houston, U.S.A.

## G. LABRECQUE

Université de Laval, Québec, Canada



## PERGAMON PRESS

OXFORD NEW YORK BEIJING FRANKFURT SÃO PAULO SYDNEY TOKYO TORONTO

## **CONTENTS**

	Laboratory and Clinical Immunology and Inflammation	
Co-chairmen:	JP. BUREAU (Nimes, France) E. HAEN (Munich, W. Germany) F. LÉVI (Paris, France)	
polymorphonu	dulation of the circadian rhythm of clear cells J, G. LABRECQUE, and M. COUPÉ	1
D. M. CANAI J. T. RABATI	ning exposure to cyclosporine and metabolites FAX, R. J. CIPOLLE, W. J. M. HRUSHESKY, N, D. I. MIN, N. M. GRAVES, IERLAND and L. D. BOWERS	5
$\alpha$ , $\beta$ interferon peritoneal mac	arious factors influencing the action of mouse on the chemiluminescence of mouse rophages E, P. DORFMAN and M. BASTIDE	9
cyclosporine in R. J. CIPOLLI L. D. BOWER	nopharmacokinetic optimization of pancreas transplant patients E, D. M. CANAFAX, J. T. RABATIN, S, D. E. R. SUTHERLAND HRUSHESKY	13
C. FOCAN, M	cal aspects of spondylarthritis I. ALVIN, V. MAZY, D. FOCAN-HENRARD, F. FRANCHIMONT	17
patients with i C. FOCAN, B	rcadian time structure of plasma proteins in nflammation . BRUGUEROLLE, C. ARNAUD, F. LÉVI, FOCAN-HENRARD and G. BOUVENOT	21

xii Contents

natural killer (I	re-specified effects of melatonin on human NK) cell activity: <i>In vitro</i> and <i>in vivo</i> studies	25
	CARIGNOLA, R. MASERA, RTORI, A. SALVADORI, E. MAGRO and	
S. A. GRUBE J. T. RABATI	ped intrarenal cyclosporine delivery R, R. J. CIPOLLE, D. M. CANAFAX, IN, G. R. ERDMANN, P. E. HYNES, J. A. RITZ, e and W. J. M. HRUSHESKY	29
on the pharma cyclosporine	cadian changes in triglyceride concentrations cokinetics and experimental toxicity of C. VADIEI and L. J. BRUNNER	31
ciclosporine in	ng-stage dependence in metabolic effects of the rat ARY, K. KABBAJ and J. OUSTRIN	35
<del>-</del>	le under treatment with Ibuprofen in patients osteoarthritis (multicenter study) EL	39
in mice: A sear toxicity and hig	acologic optimization of oral ciclosporin A (CIA) sch for a compromise between least renal ghest immunosuppressive effects LORENTIN, G. LEMAIGRE, M. MECHKOURI	43
vaccination	ations of the efficiency of hepatitis B	45
formation of sp H. RATAJCZ	tions of host resistance and <i>in vitro</i> antibody bleen cells from the B6C3F1 mouse AK, P. THOMAS, T. VOLLMUTH, D. HECK, and W. HRUSHESKY	49
Section 2A -	— Neurobiology and	
	Endocrinology	
Co-chairmen:	G. DARCOURT (Nice, France) R. REITER (San Antonio, Texas) W. RIETVELD (Leiden, Netherlands) Y. TOUITOU (Paris, France)	
double-blind cr	tion of the treatment of jet-lag by melatonin: A rossover study and M. ALDHOUS	53

~ .	
Contents	XIII
Contents	AIII

The phase relation of corticosterone and prolactin injections as a factor in the inhibition of hibernation in the thirteen-lined ground squirrel, <i>Citellus tridecemlineatus</i> J. T. BURNS and A. H. MEIER	57
Circadian and circannual variations of plasma calcitonin level in the rat: Influence of sex  F. DUCHÂTEL, MF. MALMARY and J. OUSTRIN	61
The circadian pattern of plasma melatonin in anorexia nervosa: Its possible relationships with the pituitary—gonadal impairment E. FERRARI, P. A. BOSSOLO, S. FOPPA, S. COMIS, P. MAGNI, F. FRASCHINI and F. BRAMBILLA	65
The circadian rhythm of proopiomelanocortin-related peptides in aging E. FERRARI, P. A. BOSSOLO, S. FOPPA, M. FIORAVANTI, M. DALZANO, A. COSTA BARBÉ and F. FACCHINETTI	69
Regulation of the type II thyroxine-5'-deiodinase circadian rhythm in the rat frontal cerebral cortex  J. M. GUERRERO, C. SANTANA, M. PUIG-DOMINGO, A. GONZALEZ-BRITO and R. J. REITER	73
Circadian rhythm parameters of clinical and endocrine functions in elderly subjects under treatment with various commonly used drugs  E. HAUS, G. Y. NICOLAU, D. J. LAKATUA, C. BOGDAN, M. POPESCU, L. SACKETT-LUNDEEN, A. FRABONI and E. PETRESCU	77
Circadian and ultradian characteristics of plasma growth hormone in children of short stature R. C. HERMIDA, L. GARCÍA, C. LODEIRO and T. IGLESIAS	81
Biorhythmicity and EEG paroxysmal abnormalities in various forms of epileptic seizures M. F. MONGE-STRAUSS and F. MIKOL	85
The role of the lateral geniculate nuclei in phasic response to photic and pharmacologic stimuli L. P. MORIN, R. F. JOHNSON, L. SMALE, K. MICHELS and R. Y. MOORE	89
Testosterone replacement with a circadian pattern V. A. PLACE	93
Circadian rhythm of type II thyroxine-5'-deiodinasie activity in the pineal gland: Controlling factors R. J. REITER, J. M. GUERRERO, C. SANTANA and M. PUIG-DOMINGO	95

xiv Contents

The role of the hypothalamic suprachiasmatic nucleus in methamphetamine induced rhythms in behavior W. J. RIETVELD, J. RUIS and P. BUIJS	99
Simultaneous study of LH, cortisol, TSH and melatonin in normal subjects P. SCHULZ, J. RENARD, J. WIDMER, R. RIVEST, P. DICK and R. TISSOT	103
Stimulating effect of 5-methoxypsoralen on the secretion of melatonin  E. SOUETRE, L. TAMARKIN, E. SALVATI, G. PACIOTTI, B. KREBS and G. DARCOURT	107
The circadian body temperature rhythm in estrous rats: Effects of environmental and endocrine manipulations F. SPENCER, H. B. JOHNSON, J. GANES and B. P. HSI	111
Time-dependent effects ACTH 1–17 on plasma GH and GH– RH in man Y. TOUITOU, A. REINBERG, P. GARNIER, A. BICAKOVA- ROCHER, Y. MOTOHASHI, A. BOGDAN and A. AUZÉBY	113
Section 2B — Neurobiology and Psychiatry	
Co-chairmen: G. DARCOURT (Nice, France) P. REDFERN (Bath, England) R. REITER (San Antonio, Texas) W. RIETVELD (Leiden, Netherlands) Y. TOUITOU (Paris, France)	
Changes from circadian to ultradian periodicities of the axillary temperature in three depressive patients  A. BICAKOVA-ROCHER, A. REINBERG, A. GORCEIX, Y. MOTOHASHI and J. NOUGUIER	115
Chronopharmacologic evaluation of an "antifatigue" preparation. A double-blind, placebo control and cross-over study A. BICAKOVA-ROCHER, A. REINBERG, F. LÉVI, A. GORCEIX, Y. TOUITOU and G. METZGER	119
Chronic clorgyline alters the wheel-running response of Syrian hamsters to continuous bright light W. C. DUNCAN, P. G. SOKOLOVE and T. A. WEHR	123
Chronopharmacokinetics of imipramine and its metabolite desipramine in brain and plasma after single and chronic application of imipramine in rats	127

Contents xv

	suprachiasmatic nuclei serotonergic fibers of hamster activity rhythms to a monoamine or	131
_	nt variations in morphine-induced analgesia UE, D. LEPAGE-SAVARY and E. POULIN	135
differently affectorebrain at diff	pressants (imipramine, citalopram, mianserin) ct beta-receptor-effector-system in rat ferent times of day and H. GOTTHEINER	139
and mianserin	ntidepressant drugs clomipramine, fluoxetine on free-running activity rhythms in the rat LL, P. H. REDFERN and J. STOLZ	143
	Theophylline, Bronchodilators and Chest	
Co-chairmen:	G. D'ALONZO (Houston, Texas) E. HAUS (St. Paul, Minnesota) G. KUNKEL (W. Berlin) J. JONKMAN (Groningen, Netherlands)	
increased airflo W. M. C. VAN	urnal bronchial hyperreactivity without ow obstruction N AALDEREN, D. S. POSTMA, G. H. KOËTER, N and K. KNOL	147
(STLs) in asthm sustained-relea	circadian rhythm of serum theophylline levels natic children treated with three ase theophylline (SRT) formulations RD, P. AYMARD and G. TOURNIER	151
theophylline le sustained-relea	study of the circadian rhythm of serum vels (STLs) in asthmatic infants treated with ase theophylline (SRT) formulation RD, J. COUVREUR, B. DUBOIS, P. AYMARD ENIER	153
acting sympath	ne estimated Tw/Ttot in evaluating a long nomimetic agent used for nocturnal asthma MAN and R. G. LOUDON	157
tablet dosed in C. J. BETLAC	tookinetics of theophylline from a omce-a-day the morning and at night CH, A. B. STRAUGHN, E. J. JARVI, C. F. RYAN, and M. A. GONZALEZ	161

xvi Contents

Circadian chronesthesy of the airways of healthy adults to the β-agonist bronchodilator isoproterenol  A. BROWN, M. SMOLENSKY, G. D'ALONZO,  H. FRANKOFF, L. GIANOTTI and J. NILSESTUEN	163
Comparison of the kinetics and effects of sustained-release theophylline scheduled conventionally and once-daily mornings or evenings in adult asthmatics  H. FRANKOFF, M. SMOLENSKY, G. D'ALONZO and J. TOMLINSON	167
Effect of unequal twice daily theophylline on the circadian variation in the expression of β <sub>2</sub> -adrenoceptor sites on peripheral mononuclear leucocytes (MNL)  E. HAEN, I. LANGENMAYER, H. EMSLANDER, H. HEUSINGER, M. HALLEK and J. REMIEN	171
Circadian variation in the expression of β <sub>2</sub> -adrenoceptor sites in male asthmatic patients E. HAEN, I. LANGENMAYER, H. EMSLANDER, N. WEBER and J. REMIEN	175
Appearance of circannual variations of different immune parameters in the bronchoalveolar lavage (BAL) fluid in patients with chronic bronchitis after treatment with a bacterial lysate  M. HALLEK, B. EMMERICH, R. BUSCH, E. HAEN and H. P. EMSLANDER	179
A pharmacokinetic model of sustained-release theophylline with circadian rhythmic input and correlated with pulmonary function response  A. S. KAPADIA and B. P. HSI	183
Circadian variations of lymphocyte subpopulations without and with theophylline G. KUNKEL, C. RAUFFUS, R. KUNZE, B. SIEBERT and D. ALBRIGHT	187
Circadian variations of β <sub>2</sub> -adrenoceptors with and without theophylline G. KUNKEL, B. SIEBERT, M. SUERMONDT, R. SPIERER and D. ALBRIGHT	189
Circadian rhythm in forced expiratory flows in asthmatic children: Modification after bronchodilators (ipratropium and fenoterol)  R. LAMY, J. JUST, M. BOULÉ, A. BACULARD, A. SARDET,  A. GRIMFELD, G. TOURNIER and F. GIBARD	191

Contents xvii

sputum produc	olytic agent on biologic rhythms of cough and tion N and R. P. BAUGHMAN	195
bronchial pater expiratory volu theophylline tro A. A. MELTZ	the relationship between two measures of acy, peak expiratory flow (PEF) and forced me (FEV <sub>1</sub> ), over 24 hr under steady-state eatment ER, M. H. SMOLENSKY, G. E. D'ALONZO, T and P. H. SCOTT	197
department for disease and/or	patient admissions to an emergency asthma, chronic obstructive pulmonary theophylline toxicity S, J. B. LEIKIN, M. K. PATEL and M. ZELL	201
theophylline di infusion of ami	cokinetic simulation of a circadian rhythm in sposition during a constant-rate intravenous nophylline in the dog	205
cortico-depend preservation of A. REINBERG	osing of corticosteroids in long term treated lent asthmatics: Increased tolerance and the adrenocortical function G, Y. TOUITOU, M. BOTBOL, P. GERVAIS, I, F. LÉVI and A. BICAKOVA-ROCHER	209
Influence of different evening intake times of sustained- release theophylline formulation Euphylong° (BY158) on pharmacokinetics and peak expiratory flow values after individual dose titration B. SIEBERT, G. KUNKEL, K. BORNER, H. W. STAUDINGER and V. W. STEINIJANS		213
Section 4 —	General Chronopharmacology	
Co-chairmen:	P. BÉLANGER (Québec, Canada) B. BRUGUEROLLE (Marseille, France) S. NAKANO (Ehime, Japan) R. STURTEVANT (Maywood, Illinois)	
Circadian periodicity in the glutathione concentration of rat liver P. M. BÉLANGER, M. DESGAGNÉ and B. BRUGUEROLLE		215
Day-night variations in the activity and composition of the microsomal mixed function oxidase of rat liver P. M. BÉLANGER and M. LALANDE		219

xviii Contents

Bupivacaine chronokinetics in man after a peridural constant rate infusion  B. BRUGUEROLLE, M. DUPONT, P. LEBRE and G. LEGRE	223
Temporal variations of membrane permeability to local anaesthetic agents, bupivacaine and mepivacaine, documented by their erythrocytic passage  B. BRUGUEROLLE and M. PRAT	227
Circadian rhythm in serum zinc concentrations in healthy humans J. C. CAL, F. DUMAS, F. PELEN, J. M. RAYMOND, J. CAMBAR and M. AMOURETTI	231
The mechanism of the chronohepatotoxicity of chloroform in rat: Correlation between binding to hepatic subcellular fractions and histologic changes M. DESGAGNÉ, M. BOUTET and P. M. BÉLANGER	235
Circadian variations in mice erythrocyte membrane permeability to sodium and potassium  C. DORIAN, P. CATROUX, B. BRUGUEROLLE and J. CAMBAR	239
Insects as animal models for chronopharmacological research D. K. HAYES and N. O. MORGAN	243
Dosing-time and sex related differences in the pharmacokinetics of cefodizime as well as in cortisol circadian rhythm  J. H. G. JONKMAN, A. REINBERG, B. OOSTERHUIS, O. E. DE NOOD, F. A. KERKHOF, Y. MOTOHASHI, F. LÉVI and F. CARANDENTE	247
Circadian variations of nicotine-induced stimulant effects on ambulatory activity and drinking produced by daily administration in rats  T. KITA, M. SHIRASE, H. KONDOH, T. NAKASHIMA and Y. KUROGOCHI	249
Diurnal variations in the local anesthetic effect of carticaine plus epinephrine (ultracain D-S <sup>R</sup> ) in patients with caries — studies with an electronic pulptester  B. LEMMER and R. WIEMERS	253
Is acetylator phenotype distribution dependent of circadian rhythms? M. OLLAGNIER, J. P. GAY, Y. CHERRAH, H. DECOUSUS and A. REINBERG	257

Contents xix

Retrospective analysis of non-equidistant pharmacological data	259
R. PIERRE, J. DE PRINS, E. MALHERBE, P. MANCHON and S. MORE	
Chronotoxicity and chronokinetics of two local anaesthetic agents, bupivacaine and mepivacaine, in mice M. PRAT and B. BRUGUEROLLE	263
Diurnal oscillations in salivary levels of quinine following a single dose administration to human volunteers  B. RAMESH RAO and D. RAMBHAU	267
Circadian ethanol exposure related to fetal growth and development in mice I. SAUERBIER	271
Maturation of circadian behavior rhythms in the first year of human life U. SCHMID, R. LANG, M. HALLEK, D. HEIMER-LANG, M. WERRES, R. SCHMID and T. HELLBRÜGGE	273
A method for the repetitive collection of small blood samples from unanesthetized rats  K. SCHÜMANN, E. RICHTER and E. HAEN	277
Analysis of variance in human chronopharmacology. An old method in a new area of research K. STEPHAN, R. DOROW, K. WEGSCHEIDER and B. STREITBERG	281
Section 5 — Ulcerogenesis, H2-Antagonists, Diabetes and Nutrition	
Co-chairmen: A. MARKIEWICZ (Katowice, Poland) J. MOORE (Salt Lake City, Utah) S. SZABO (Boston, Massachusetts)	
Ultrannual rhythm of stimulated gastric acid secretion in duodenal ulcer (DU) J. P. ACCARY, M. MERROUCHE, D. RIGAUD, J. VATIER and M. MIGNON	283
Nizatidine 300mg H.S. compared with cimetidine 800 mg H.S. in the treatment of acute duodenal ulcer M. CLOUD and W. OFFEN	285
The circadian effect of alloxan-diabetes on the timed regulation of hepatic pyruvate kinase from mice R. J. FEUERS, R. A. MITTELSTAEDT, L. E. SCHEVING, T. H. TSAI and J. HUNTER	287

xx Contents

The suppression of nocturnal acid secretion by H.S. famotidine therapy is sufficient to heal benign gastric ulcers T. J. HUMPHRIES and R. G. BERLIN	291
Circadian variations in insulin and alloxan sensitivity noted in blood glucose alterations in normal and diabetic mice J. D. HUNTER, J. P. McGEE, J. SALDIVAR, T. TSAI, R. FEUERS and L. E. SCHEVING	295
Circadian variation of catecholamines excretion and skin basic resistance in children with insulin dependent diabetes D. KIEŁCZEWSKA-MROZIKIEWICZ, A. MROZIKIEWICZ and E. CHMARA	299
Diet and mealtiming as circadian synchronizers D. J. LAKATUA, M. HAUS, C. BERGE, L. SACKETT-LUNDEEN and E. HAUS	303
Seasonal variation in the incidence of bleeding ulcer A. MARBELLA, D. GRAHAM and M. SMOLENSKY	307
Chronosupplementation after gastrectomy A. MARKIEWICZ, H. BOŁDYS, D. SKRZYPEK and J. KALACIŃSKI	311
Continuous infusion of famotidine maintains high gastric pH in duodenal ulcer (DU) H. MERKI, L. WITZEL, M. LANGMAN, D. KAUFMANN, J. NEUMANN, J. RÖHMEL and R. WALT	315
Manipulation of feeding schedule can modify the circadian rhythms of toxicity and kinetics of theophylline in mice S. NAKANO, S. OHDO and N. OGAWA	317
Timing of evening meal and ranitidine administration on patterns of 24hr intragastric pH W. C. ORR, M. ALLEN, A. FINN and M. G. ROBINSON	321
Circadian rhythms of gastrointestinal peptides in ovariectomized rats: Effects of estradiol and progesterone treatment  J. N. PASLEY and P. L. RAYFORD	323
Effect of seasonal variations on serum neutral amino acids in response to stress in rat A. G. ROBERGE	327
Effect of seasonal variations on blood parameters in response to stress in cat	331

Contents xxi

intravenous rar	RS, J. G. MOORE, K. N. BUCHI and	335
mucosal lesion:	ociation between drug-induced gastric s and gastric secretion in the rat ROGERS and K. J. VENER	339
restricted feedi procedure	etween activity—rhythm shift by daytime ing and ulcer-development in activity—stress BE, C. HARA and N. OGAWA	341
Section 6 —	Cancer	
Co-chairmen:	I. ASHKENAZI (Tel Aviv, Israel) C. FOCAN (Liège, Belgium) R. VON ROEMELING (Lubbock, Texas) L. SCHEVING (Little Rock, Arkansas)	
sulfate (MS) an gynecologic ca S. E. AUVIL-1	our variation in self-administration of morphine ad hydromorphone (H) by post-surgical ncer patients NOVAK, R. D. NOVAK, M. H. SMOLENSKY, AGH, J. W. KWAN and J. T. WHARTON	343
preneoplastic l	adian mitotic control for the promotion of esions initiated by diethylnitrosamine (DEN) ON, B. BOUZAHZAH and MC. MORMONT	347
carboplatin de N. A. BOUGH	tissue pharmacokinetics of oxaliplatin and pend upon their dosing time in mice HATTAS, F. LÉVI, B. HECQUET, G. LEMAIGRE, C. FOURNIER and A. REINBERG	351
	ılar proliferation in human rectal mucosa N. H. RUBIN and J. G. MOORE	355
-	of anti-cancer drugs: II. Recovery pattern CH, M. RAVID, L. PELEG, I. ASHKÆNAZI Y-COHEN	357
in the rat by m	the circadian rhythm in methotrexate toxicity elatonin and photoperiod G. W. AHERNE and J. ARENDT	359
kinase levels ir M. HALLEK,	f circadian variations of serum thymidine n control and tumor patients B. EMMERICH, A. REICHLE, H. D. SCHICK,	361

Chronotoxicity of anti-cancer drugs: I. Immediate effects Y. KITAY-COHEN, I. ASHKENAZI, M. RAVID, L. PELEG and R. CARLEBACH	365
Circadian rhythm in murine tolerance for the anticancer agent mitomycin-C (MIT-C) F. KLEIN, L. DANOBER, A. ROULON, G. LEMAIGRE, M. MECHKOURI and F. LÉVI	367
Circadian gating of DNA synthesis and its relationship to surgical debulking in human ovarian cancer R. R. KLEVECZ and P. S. BRALY	371
Etoposide and cisplatin in advanced solid tumors: Results of a study of chronotolerance I. KRAKOWSKI, F. LÉVI, M. MECHKOURI, T. CONROY, E. LUPORSI, B. WEBER and R. METZ	373
Treatment of childhood acute lymphoblastic leukemia with 6-mercaptopurine: Circadian variability of efficacy, bioavailability and pharmacokinetics G. E. RIVARD, KT. LIN, C. INFANTE-RIVARD, J. M. LECLERC and F. VARIN	377
Differential effect of interleukin-2 on [ <sup>3</sup> H]TdR incorporation into DNA in the thymus, spleen and bone marrow of CD2F <sub>1</sub> male mice  L. A. SCHEVING, T. H. TSAI, R. J. FEUERS,  M. H. SMOLENSKY, J. D. YOUNG and L. E. SCHEVING	381
A circadian study of cell cycle distribution in non-Hodgkin lymphomas R. SMAALAND, K. LOTE, O. D. LAERUM and Z. VOKAC	383
Circadian stage not time of day characterizes doxorubicin susceptibility rhythm of mice in continuous light R. B. SOTHERN, F. HALBERG and W. J. M. HRUSHESKY	385
Profound circadian stage dependence of mitomycin-C toxicity R. B. SOTHERN, R. HAUS, T. R. LANGEVIN, J. A. POPOVICH, M. WICK, R. v. ROEMELING and W. J. M. HRUSHESKY	389
Clinical chronopharmacokinetics of doxorubicin (DXR) A. SQALLI, J. OUSTRIN, G. HOUIN, R. BUGAT, P. CANAL and M. CARTON	393
Circadian influence of interleukin-2 in stimulating DNA synthesis in the lung, liver and pancreas of CD2F <sub>1</sub> male mice T. H. TSAI, L. A. SCHEVING, R. J. FEUERS, J. D. YOUNG and L. E. SCHEVING	397

Contents xxiii

Sources of variability of dihydropyrimidine dehydrogenase activity in human blood mononuclear cells M. TUCHMAN, R. v. ROEMELING, R. M. LANNING, R. B. SOTHERN and W. J. M. HRUSHESKY	399
Round Table — Drug Delivery Systems and Pumps for Timing Medications	
Chairman: W. J. M. HRUSHESKY (Minneapolis, Minnesota)	
Chronotherapy of patients with metastatic colorectal cancer with 5-fluorouracil (5-FU) and oxaliplatin (1-OHP), automatically delivered via a programmable external pump. Preliminary results  J. P. CAUSSANEL, F. LÉVI, J. L. MISSET, A. DESCORPS DECLERE, R. ADAM, H. BISMUTH, A. REINBERG and G. MATHÉ	403
Time-modulating controlled delivery of peptide/protein drugs for possible applications in chronotherapy Y. W. CHIEN	407
Circadian variations of vindesine serum concentrations during continuous infusion C. FOCAN, V. MAZY, J. ZHOU, R. RAHMANI and J. P. CANO	411
Implantable therapeutic systems J. KOST	415
Ambulatory 5-day chronotherapy of colorectal cancer with continuous venous infusion of 5-fluorouracil (5-FU) at circadian-modulated rate. Preliminary results  F. LÉVI, R. ADAM, A. SOUSSAN, J. P. CAUSSANEL, M. BENAVIDES, J. L. MISSET, F. BURKI, A. REINBERG, M. SMOLENSKY, H. BISMUTH and G. MATHÉ	419
Pump delivered insulin and home monitored blood glucose in a diabetic patient: Retrospective and chronophysiologic evaluation of 3-year time series  A. REINBERG, P. DROUIN, M. KOLOPP, L. MÉJEAN, F. LÉVI, G. DEBRY, M. MECHKOURI, G. DI COSTANZO and A. BICAKOVA-ROCHER	423
Circadian timing and mode of fluoropyrimidine administration markedly impact organ-specific toxicity and maximal dose intensity  R. v. ROEMELING, J. RABATIN, M. TUCHMAN and W. J. M. HRUSHESKY	427

xxiv Contents

	fety and accuracy of an automated drug	
	m suitable for chronochemotherapy in pediatric	
patients		431
	TORNOUT, M. E. NESBIT, Jr., B. BOSTROM,	
	ISAY, S. SOMANI, T. LANGEVIN, R. LANNING,	
R. VON ROE	MELING and W. J. M. HRUSHESKY	
Section 7 —	Cardiovascular and Renal Systems	
Co-chairmen:	J. CAMBAR (Bordeaux, France)	
	H. DECOUSUS (St. Etienne, France)	
	B. LEMMER (Frankfurt, W. Germany)	
	ations in post ischemic acute renal failure in	400
rats	K, C. DORIAN and J. CAMBAR	433
chrononephro	ngiotensin system in amikacin	437
	P. CATROUX and J. CAMBAR	407
Does the circae	dian variation of $\beta_2$ -adrenoceptor sites on	
peripheral mor	nonuclear leucocytes (MNL) reflect the circadian	
variation of dif	ferent MNL subsets?	441
E. HAEN, T.	LEDERER, P. RIEBER, P. SCHLEICHER,	
I. LANGENM	MAYER, M. HALLEK and J. REMIEN	
24-hour variati	ions in the distribution of labeled microspheres	
to the intestine	e, liver and kidneys	445
G. LABRECO	DUE, P. M. BÉLANGER, F. DORÉ and	
M. LALAND	E	
Nocturnal bloc	od pressure in sleep apnea, effect of nasal	
continuous pos	sitive airway pressure (nCPAP)	449
J. MAYER, H	I. BECKER, U. BRANDENBURG, T. PENZEL,	
J. H. PETER,	R. STOOHS, M. WEINER and P. v. WICHERT	
Alteration of c	ircadian rhythms of blood pressure by delayed	
bed-time sleep	schedule	453
Ү. МОТОНА	SHI and T. TAKANO	
Circadian varia	ation in digoxin pharmacokinetics	457
A. MROZIKII	EWICZ, A. JABŁECKA, Z. ŁOWICKI and	
E. CHMARA		
Seasonal varia	tions in gentamicin nephrotoxicity in rats	461
C. PARIAT, I	P. COURTOIS, J. CAMBAR, A. PIRIOU and	
S. BOUQUET	•	
Biological rhyt	hms of blood coagulation and of the effect of	
warfarin in rat	s	465
G. SOULBAN	I and G. LABRECQUE	

Contents	xx
Contents	***

Circadian variation of prohormone atrial natriuretic factors 1–30, 31–67 and 99–126 in man D. L. VESELY, C. J. WINTERS, A. L. SALLMAN, D. M. RICO, J. MEADOWS, B. LeMAY, J. HARRIS, S. D. LUNNINGHAM and V. MELHORN	469
Effects of different stimuli (isoprenaline, Gpp(NH)p, forskolin) on circadian rhythms in cAMP content and adenylate cyclase activity in the rat heart  K. WITTE and B. LEMMER	473
Author Index	477
Subject Index	481

# DOES THE CIRCADIAN VARIATION OF $\beta_2$ ADRENOCEPTOR SITES ON PERIPHERAL MONONUCLEAR LEUCOCYTES (MNL) REFLECT THE CIRCADIAN VARIATION OF DIFFERENT MNL SUBSETS?

E. Haen, T. Lederer, P. Rieber, P. Schleicher, I. Langenmayer, M. Hallek and J. Remien

Walther-Straub-Institute of Pharmacology and Toxicology, Nussbaumstr. 26, D–8000 München 2, F.R.G.

Institute of Immunology, Goethestr. 33, D-8000 München 2, F.R.G.

Zytognost GmbH, Ismaninger Str. 64, D-8000 München 80, F.R.G.

"I. Medical Clinic, Klinikum r.d. Isar, Ismaninger Str. 22, D–8000 München 80, F.R.G.

## ABSTRACT

The fractional distribution of lymphocyte subsets was determined in three male subjects. Its contribution to the circadian variation in the expression of  $B_2$ -adrenoceptor sites on peripheral mononuclear leucocytes (MNL) was calculated to be 92.7-107.3 % of the 24h-mean. This strongly favors the idea that the actually observed circadian range of 74.5-124.9 % of the 24h-mean constitutes a circadian receptor down- and up-regulation.

## KEY WORDS

circadian variation,  $\beta_2$ -adrenoceptors, peripheral mononuclear leucocytes (MNL), lymphocyte subsets, humans

## INTRODUCTION

MNL are widely used for clinical studies evaluating the expression and function of  $\upbeta_2$ -adrenoceptors (Haen 1987, Brodde et al 1985, Middeke et al 1985). We recently described a circadian variation in the expression of  $\upbeta_2$ -adrenoceptors on peripheral MNL (Pangerl et al 1986, Haen 1987). Since T-lymphocytes have been reported to bear less than half the number of  $\upbeta_2$ -adrenoceptor sites as B-lymphocytes (Landmann et al 1984, Krawietz et al 1982), the circadian variation in the expression of  $\upbeta_2$ -adrenoceptor sites may result from a circadian variation in the numerical distribution of these lymphocyte subsets.

## MATERIALS AND METHODS

Venous blood was drawn at 14h00, 18h00, 22h00, 02h00, 06h00, 10h00, and again at 14h00 from three male subjects, 24-34 years of age. Peripheral mononuclear leucocytes were immediately harvested by Ficoll-Hypaque density gradient centrifugation. The cells were incubated with a set of mouse IgG monoclonal antibodies (CD 3, CD 4, CD 8, CD 37 specific for T-, Thelper-, Tsuppressor-, and B-cells, respectively) and in a second step with a fluoresceinisothiocyanate (FITC)-labeled goat anti-mouse IgG monoclonal antibody. After washing out exceeding amounts of antibody the cells were fixed in 0.1% paraformaldehyde and stored at 4°C. Approximately one week after sampling the fixed cells were run in a fluorescence activated cell sorter (FACS) to count the percentage of labeled cells in a cell fraction gated to contain lymphocytes and monocytes. The distribution of lymphocyte

442 E. Haen et al.

subsets was compared to the circadian variations in  $\beta_2$ -adrenoceptor sites on peripheral MNL and in total lymphocyte count in another group of seven healthy men (Pangerl et al 1986).

The subjects were asked to follow a regular life-style for the two weeks preceding the study with bed rest between 23h00 and 07h00. On the day of the study the subjects stayed in the clinical pharmacological research unit of the institute. They continued to follow their normal daily routine. Subjects were asked to record meal times, the consumption of alcohol and coffeine. All were non-smokers.

Circadian variations were statistically validated by the cosinor method (Halberg et al 1967) and by analysis of variance (anova). Significance limit was p < 0.05.

## **RESULTS**

The fractional distribution of T- and B-cells showed a large inter-individual variation and varied within 24 hours, but the circadian variation did not reach statistical significance (Fig. 1). The highest percentage of T-cells was observed at 18h00 (73.0+0.45 % of gated cells,  $\overline{x}+SE$ ), the lowest percentage at 02h00 (56.4+9.7 % of gated cells,  $\overline{x}+SE$ ). The highest percentage of B-cells occurred at 10h00 (11.2+6.9 % of gated cells,  $\overline{x}+SE$ ), the lowest percentage was seen at 18h00 (6.3 $\frac{1}{2}$ 3.0 of gated cells,  $\overline{x}+SE$ ). Thelper- and Tsuppressor-cells also demonstrated a statistically insignificant variation with highest percentage of Thelper at 02h00 (51.5+1.2 % of gated cells) and of Tsuppressor at 06h00 (22.0+1.0 % of gated cells). The lowest fraction was seen at 06h00 (34.6+4.2 % of gated cells) and at 22h00 (12.0+3.0 % of gated cells) for Thelper and Tsuppressor, respectively (all  $\overline{x}+SE$ ).




Fig. 1. Fractional distribution of human lymphocyte subsets determinded over 24 hours

The total lymphocyte count demonstrated a circadian variation (p < 0.01 anova, p=0.07 / PR=61.3% in population-mean cosinor analysis, Fig. 2 lower panel) with highest numbers at 02h00 (3367±236 cells) and lowest numbers at 10h00 (2175±262 cells, all  $\overline{x}+SE$ ). Highest  $\beta_2$ -adrenoceptor density occured at the time of lowest lymphocyte count (10h00), the number of receptor sites decreased to a minimum at 02h00, when the total number of lymphocytes is highest. The circadian range was 74.5-124.9 % of 24h-mean for the expression of  $\beta_2$ -adrenoceptor sites on peripheral MNL.




Fig. 2. Circadian variation in β<sub>2</sub>-adrenoceptor density on peripheral mononuclear leucocytes (upper panel) and in total lymphocyte count (lower panel) of healthy men.

### DISCUSSION

Since the  $\beta_2$ -adrenoceptor density on MNL is expressed as sites/cell the circadian variation in the expression of these receptors is corrected for the circadian variation in total lymphocyte count. Landmann et al 1984, however, reported a different  $\beta_2$ -adrenoceptor density on T-cells (1400 sites/cell, irrespective of Thelper or Tsuppressor) and on B-cells (3700 sites/cell). A circadian variation in the fractional distribution of lymphocyte subsets might account, therefore, for the circadian variation in the expression of  $\beta_2$ -adrenoceptor sites on peripheral MNL:

The total number of lymphocytes reaches a minimum at the time of highest  $\rm B_2$ -adrenoceptor density (10h00). At that time the percentage of B-cells among peripheral MNL is highest (11.2%): approximately 243 cells of 2175 total lymphocytes may be B-cells bearing according to Landmann et al 1984 a total number of 8.99x10^5 sites; 60.5 % of the total lymphocytes are T-cells (1316 cells) that add another 1.84x10^6  $\rm B_2$ -adrenoceptor sites resulting in an average value for all lymphocytes at that time of day of 1259 sites/cell. At the trough of the circadian variation in the expression of  $\rm B_2$ -adrenoceptor sites (02h00) the total number of lymphocytes is highest. At that time 8.1 % (273 cells) of the lymphocytes (3367 cells) are B-cells participating 1.00x10^6  $\rm B_2$ -adrenoceptor sites. The fraction of T-cells is minimal at that time: 56.4 % (1899 cells) of the lymphocytes bear 2.66x10^6  $\rm B_2$ -adrenoceptors. This results in an average value for all lymphocytes of 1087 sites/cell at 02h00.

According to this very rough calculation the circadian range of the variation in the expression of  $B_2$ -adrenoceptor sites on peripheral MNL would be 92.7-107.3 % of the 24h-mean, which is much less than the one actually observed (74.5-124.9 % of the 24h-mean). Quite a number of incertanties are assumed in this calculation: It has not yet been established, how the extensive handling with antibody labelling and FACS-analysis affects the expression of  $B_2$ -adrenoceptor sites on MNL. In this context the data reported by Landmann et al 1984 have to be regarded as preliminary. Also our data on the fractional distribution of lymphocyte subsets are rather preliminary due to the small number of subjects; some cell types such as monocytes were not included yet into the analysis but may express  $B_2$ -adrenoceptors as well. Nevertheless the calculation yielded reasonable

E. Haen et al. 444

adrenoceptor densities, but it appears that the fractional distribution of lymphocyte subsets does not show a relevant circadian variation at all. This study does not preclude, however, that the lymphocyte subset composition my change in response to short acting stimuli such as physical exercise. According to this study different lymphocyte subset distributions may contribute (if at all) only little to the circadian variation in the expression of 82-adrenoceptor sites on peripheral MNL. As outlined elsewhere (Haen 1987) the circadian variation in the expression of \$3-adrenoceptor sites on peripheral MNL rather constitutes a circadian receptor down- and up-regulation in response to hormonal stimuli, such as adrenaline and cortisol concentrations in blood, respectively.

## REFERENCES

- 1. Brodde OE, Daul AE, O'Hara Naoki, Khalifa AM (1985). Properties of α- and β-Adrenoceptors in Circulating Blood Cells of Patients with Essential Hypertension. J Cardiovasc Pharmacol 7 (Suppl. 6), S162-S167

  2. Haen E (1987). The Peripheral Lymphocyte as Clinical Model for Receptor Disturbances
- Asthmatic Diseases. Bull Eur Physiopathol Resp 22, 539-541
- 3. Halberg F, Tong YL, Johnson EA (1967). Circadian System Phase An Aspect of Tempora Morphology; Procedures and Illustrative Examples. in: The Cellular Aspects of Biorhythms (ed H v Mayersbach), Springer Verlag Berlin/Heidelberg/New York, pp 20-48
  4. Krawietz W, Werdan K, Schober M, Erdmann E, Rindfleisch GE, Hanning K (1982). Diffe-
- rent Numbers of B-Receptors on Human Lymphocyte Subpopulations. Biochem Pharmacol 31, 133-136
- 5. Landmann RMA, Bürgisser E, Wesp M, Bühler FR (1984). Beta-Adrenergic Receptors are Different in Subpopulations of Human Circulating Lymphocytes. J Rec Res 4, 37-50
- 6. Middeke M, Remien J, Kirzinger S, Holzgreve H (1985). Adrenergic Hyposensitivity during Long-Term Diuretic Therapy - A Possible Explanation for the Antihypertensive Effect of Diuretics. Eur J Pharmacol 109, 401-403
- 7. Pangerl A, Remien J, Haen E (1986). The Number of B-Adrenoceptor Sites on Intact Human Lymphocytes Depends on Time of Day, on Season, and on Sex. Ann Rev Chronopharmacol 3, 331-334

## **ACKNOWLEDGEMENTS**

We gratefully acknowledge the skillfull technical assistance of our lab technicians Ursula Judenhofer, Sybille Kirzinger, and Iris Reithmeier. Without their ready acceptance to work overtime this study would have been impossible to perform.