
CHRONOBIOLOGIA

ORGAN OF THE INTERNATIONAL SOCIETY
for
CHRONOBIOLOGY

VOLUME X

APRIL-JUNE 1983

NUMBER 2

CONTENTS

XVI INTERNATIONAL CONFERENCE OF THE INTERNATIONAL SOCIETY FOR CHRONOBIOLOGY (Dublin, 25-29 July, 1983)

ABSTRACTS	107
APPENDIX	173
DIDACTICA	
W. NELSON, G. CORNÉLISSEN, D. HINKLEY, C. BINGHAM, F. HALBERG: Construction of rhythm- specified reference intervals and regions, with emphasis on 'hybrid' data, illustrated for plasma cortisol	179
NEWS	
FROM MEETINGS	
<i>Announcements</i>	
XXVIII National Congress of the <i>Società Italiana di Gerontologia e Geriatria</i> , Naples	197
<i>Programs</i>	
XIV Acta Endocrinologica Congress, Stockholm	198
SOCIAL ACTIVITIES	
<i>International Society for Chronobiology</i>	
Summary of the XV International Conference	201
Report of the Biennial Business Meeting of the I.S.C.	203
LITERATURE INDEX	209

4. Arbogast B., Arbogast H., Hawel W., Hellbrügge T., Kleiser B., Schiel W., Schmid R.: Institute of Social Pediatrics, University of Munich, Munich, West Germany.

Ultradian and circadian rhythms in EEG frequency counts in children.

EEG measurements of 24-h duration were performed in two groups of healthy and epileptic children, respectively, at an age of 6 to 16 months. The total range of EEG frequencies was split into 10 sections, and frequency counts for time intervals of 5 min were computed within each section. The data were screened for ultradian variation by Fourier analysis, and the ultradian periods detected, as well as a circadian component, were established and quantified by a sequential procedure based upon a combination of the serial section and multiple linear estimation (extended cosinor). Significant rhythms with periods in the range between about 1 and 24 h could be found in all subjects. There were also well defined differences between healthy and epileptic children concerning the relative intensity of different rhythm components.