## Variations on a Theme: A Bibliography on Approaches to Theorem Proving Inspired From Satchmo

François Bry<sup>1</sup> and Rainer Manthey<sup>2</sup>

 University of Munich, Germany http://pms.ifi.lmu.de/
 University of Bonn, Germany

http://www.informatik.uni-bonn.de/ manthey/

**Abstract.** This articles is a structured bibliography on theorem provers, approaches to theorem proving, and theorem proving applications inspired from *Satchmo*, the *model generation theorem prover* developed in the mid 80es of the 20th century at ECRC, the European Computer-Industry Research Centre. Note that the bibliography given in this article is not exhaustive.

#### 1 Introduction and Contents

This articles is a structured bibliography on theorem provers, approaches to theorem proving, and theorem proving applications inspired from *Satchmo* [2], the *model generation theorem prover* developed in the mid 80es of the 20th century at ECRC, the European Computer-Industry Research Centre.

At the time of its development, *Satchmo* was a rather unusual approach to first-order logic theorem proving for a couple of reasons:

- Satchmo is a tableau method, i.e. its approach to theorem proving consists in an exhaustive, although controlled, search for Herbrand models of the first-order logic theory considered.

The widespread opinion in the theorem proving community at the time Satchmo has been conceived was that an exhaustive search for Herbrand models was hopeless. This opinion is well reflected by the following citation from the introduction of Grard Huet's thesis [1]:

"Les premier programmes [de preuve auotmatique de théorèmes] réalisés visaient à l'implementation du théorème de Herbrand, par génération de tronçons initiaux de l'univers de Herbrand d'une proposition. Une telle recherche exhaustive était vouée l'échec, et cette approche fut abandonnée."

Satchmo is a tableau method that makes use of the resolution principle [3].
 Satchmo seems to have been the first theorem prover to combine a tableau method with the resolution principle.

- Satchmo is implemented in the high-level programming language Prolog.
   Satchmo seems to have been the first reasonably efficient implementation of a theorem prover in Prolog.
- Satchmo's implementation in Prolog is extremely short: Its pretty-printed basic version is only 12 lines long.
   Satchmo seems to have been the first theorem prover to exploit specificities of a high-level programming language and its sophisticated abstract machine
- Satchmo combines forwards and backwards reasoning.

  Satchmo seems to have been the first theorem prover to do so.

Because of this, *Satchmo* can be seen as a landmark in the history of automated theorem proving. What is less known, is that *Satchmo* has also been a landmark in the history of ECRC, the European Computer-Industry Research, which Hervé Gallaire established in Munich in 1983.

Shortly after Satchmo had been conceived, the question was raised within ECRC and the board of ECRC's 'supervisers' from its shareholder companies whether such a software should be published, and thus made known to the research community, or kept confidential for an exclusive use within ECRC and its shareholders. At that time, ECRC had no policy on the publication its research results

In the case of *Satchmo*, the choice was made in favour of publishing it. Obviously, further research inspired by *Satchmo* as reported in this bibliography would not have taken place if *Satchmo* had been kept confidential.

A side effect of the decision to publish *Satchmo* was to firmly establish that ECRC's research outcomes would be published. This has greatly contributed to the reputation and success of ECRC as well as of its researchers.

This bibliography is structured as follows:

- Articles on Satchmo

for its implementation.

- Satchmo-like Theorem Provers
- Formalizations of Satchmo and Satchmo-like Theorem Provers
- Search Space Reduction Strategies for Satchmo-like Theorem Provers
- Proving Finite Satisfiability with Satchmo-like Theorem Provers
- Generation of Minimal Herbrand Models with Satchmo-like Theorem Provers
- Applications of Satchmo-like Theorem Provers
- Miscellaneous

The bibliography given in this article is not exhaustive. However, it should list the major publications on theorem provers, approaches to theorem proving, and theorem proving applications inspired from *Satchmo*. The ommission of a relevant article does not reflect any negative bias or judgment from the authors. Instead, an ommission would only reflect that, even in the search engine age, compiling a complete bibliography remains a time-consuming and error-prone endeavour.

The authors would be thankful for hints at missing, wrongly cited, or falsely included articles, for hints at mistakes of any other kind, as well as for any suggestion for improvements.

## 2 Articles on Satchmo

Rainer Manthey and François Bry. A Hyperresolution-Based Proof Procedure and its Implementation in Prolog. In *Proceedings 11th German Workshop on Artificial Intelligence (GWAI)*, pages 221–230, Springer-Verlag, 1987.

Rainer Manthey and François Bry. SATCHMO: A Theorem Prover Implemented in Prolog. In *Proceedings of the 9th International Conference on Automated Deduction (CADE)*, pages 415–434. Springer-Verlag, 1988.

François Bry and Rainer Manthey. Variationen ber ein Thema: Suchstrategien und Datenstrukturen fr SATCHMO-Beweiser. In *Proceedings of 11. Workshop Logische Programmierung (WLP)*, pages 205–216, GMD-Studien Nr. 270, 1995.

Slim Abdennadher, François Bry, Norbert Eisinger, Tim Geisler. The theorem prover SATCHMO: Strategies, Heuristics and Applications. In *Proceedings of the Journées Francophone de Programmation en Logique & Journée d'étude Programmation par Contraintes et applications industrielles (JFPLC)*, pages 349–352, 1995.

A. von Drach, T. Geisler, S. Panne, and D. Sacher. An Abstract Machine for Model Generation with PUHR Tableaux (Extended Abstract). *Proceedings of the European Workshop Logics in Articial Intelligence (JELIA)*, 1996.

Thomas Brüggemann, François Bry, Norbert Eisinger, Tim Geisler, Sven Panne, Heribert Schütz, Sunna Torge, and Adnan Yahya. Satchmo: Minimal Model Generation and Compilation (System Description). In *Proceedings of IV-èmes Journées Francophones de Programmation Logique et Programmation par Contraintes (JFPLC)*, 1995.

François Bry and Rainer Manthey. Variationen über ein Thema: Suchstrategien und Datenstrukturen für SATCHMO-Beweiser. In *Proceedings of 11. Workshop Logische Programmierung (WLP)*, 1995.

Alexander von Drach and David Sacher. SatAM – An Abstract Machine for Model Generation with PUHR Tableaux, Project Thesis, University of Munich, 1998.

Alexander von Drach, Tim Geisler and Sven Panne and David Sacher. SatAM – Satchmo Abstract Machine (System Description), In *Proceedings of the 13. Workshop Logische Programmierung (WLP)*, 1998.

#### 3 Satchmo-like Theorem Provers

Ryuzo Hasegawa and Hiroshi Fujita. A Model Generation Theorem Prover in KL1 Using Ramified-Stack Algorithm. In *Proceedings of the 8th International Conference on Logic Programming (ICLP)*, pages 535–548, 1991.

Ryuzo Hasegawa, Miyuki Koshimura, and Hiroshi Fujita MGTP: A Parallel Theorem Prover Based on Lazy Model Generation. In *Proceedings of the 11th International Conference on Automated Deduction (CADE)*, pages: 776–780, Springer-Verlag, 1992.

Mark E. Stickel. Automated Theorem-Proving Research in the Fifth Generation Computer Systems Project: Model Generation Theorem Provers. Future Generation Computer Systems, Volume 9, Issue 2, 1993.

Laurent Herr. E-Satchmo: Introduction de l'Égalité dans le Demonstrateur Automatique SATCHMO. Technical Report, ECRC, Munich, 1993.

Ryuzo Hasegawa. Parallel Theorem-Proving System: MGTP. In *Proceedings of the International Symposium on Fifth Generation Computer Systems (FGCS)*, pages 51–65, 1994.

Ryuzo Hasegawa, and Miyuki Koshimura. An AND Parallelization Method for MGTP and its Evaluation. In *Proceedings of the International Symposium on Parallel Symbolic Computation (PASCO)*, pages 194–203, 1994.

- B. Beckert and J. Posegga. LeanTAP: Lean, Tableau-Based Theorem Proving. *Proceedings of the 12th International Conference on Automated Deduction (CADE)*, Springer-Verlag, 1994.
- J. Schumann. Tableau-Based Theorem Provers: Systems and Implementations, *Journal of Automated Reasoning*, 1994.
- B. Beckert and J. Posegga. LeanTAP: Lean, Tableau-Based Deduction. *Journal of Automated Reasoning*, 1995

Ryuzo Hasegawa and Hiroshi Fujita. MGTP: A Model Generation Theorem Prover in the Concurrent Logic Programming Language KL1. *Transactions of the Information Processing Society of Japan*, Volume 37, No. 1, pages 1–12, 1996. (In Japanese).

Alexander von Drach, Tim Geisler, Sven Panne, and David Sacher. An Abstract Machine for Model Generation with PUHR Tableaux (Extended Abstract). Proceedings of the European Workshop Logics in Articial Intelligence (JELIA), 1996.

Slim Abdennadher and Heribert Schütz. Model Generation with Existentially Quantified Variables and Constraints. *Proceedings of the 6th International Joint* 

Conference on Algebraic and Logic Programming, pages 256–272, Springer-Verlag, 1997.

M. Paramasivan and D. A. Plaisted. A Replacement Rule Theorem Prover, *Journal of Automated Reasoning*, 1997.

Tim Geisler, Sven Panne, and Heribert Schütz. Satchmo: The Compiling and Functional Variants, *Journal of Automated Reasoning*, Volume 18, Issue 2, pages 227–235, 1997.

Jens Otten. ileanTAP: An Intuitionistic Theorem Prover. In *Proceedings of the International Conference on Automated Reasoning with Analytic Tableaux and Related Methods (TABLEAUX)*, pages 307–312, Springer-Verlag, 1997.

Ryuzo Hasegawa, Hiroshi Fujita, and Miyuki Koshimura. MGTP: A Model Generation Theorem Prover – Its Advanced Features and Applications In *Proceedings of the International Conference on Automated Reasoning with Analytic Tableaux and Related Methods (TABLEAUX)*, Springer-Verlag, 1997.

Alexander von Drach and David Sacher. SatAM – An Abstract Machine for Model Generation with PUHR Tableaux, Project Thesis, University of Munich, 1998.

Melvin Fitting. leanTAP Revisited. *Journal of Logic and Computation*. Volume 8, Issue 1, pages 33–47, 1998.

Alexander von Drach and Tim Geisler and Sven Panne and David Sacher. An Abstract Machine for Model Generation with PUHR Tableaux. *Proceedings of 13. Workshop Logische Programmierung (WLP)*, 1998.

Alexander von Drach, Tim Geisler and Sven Panne and David Sacher. SatAM – Satchmo Abstract Machine (System Description), In *Proceedings of the 13. Workshop Logische Programmierung (WLP)*, 1998.

Heribert Schütz. Generating Minimal Herbrand Models Step by Step. In Proceedings of the International Conference on Automated Reasoning with Analytic Tableaux and Related Methods (TABLEAUX), Springer-Verlag, 1999

Lifeng He. UNSATCHMO: Unsatisfiability Checking by Model Rejection. In Proceedings of the International Joint Conference on Automated Reasoning (IJ-CAR), 2001.

Lifeng He. I-SATCHMO: An Improvement of SATCHMO, *Journal of Automated Reasoning*, Volume 27, Issue 3, pages 313–322, 2001.

Ryuzo Hasegawa, Hiroshi Fujita, and Miyuki Koshimura. A Model Generation Based Theorem Prover MGTP for First-Order Logic. In *Computational Logic*:

Logic Programming and Beyond, Essays in Honour of Robert A. Kowalski, Part II, 2002.

Lifeng He, Yuyan Chao and Hidenori Itoh. R-SATCHMO: Refinements on I-SATCHMO. *Journal of Logic and Computation*, Volume 14, Issue 2, pages 117-143, 2004

Allan Ramsay. Theorem Proving for Constructive  $\lambda$ -Calculus. In *Proceedings* of the 9th International Conference on Artificial Intelligence: Methodology, Systems, and Applications (AIMSA), pages 69–79, Springfer-VErlag, 2000.

# 4 Formalizations of *Satchmo* and *Satchmo*-like Theorem Provers

Peter Baumgartner, Ulrich Furbach, and Ilkka Niemelä. Hyper Tableaux. In *Proceedings of the European Workshop on Logics in Artificial Intelligence (JELIA)*, pages 1–17, Springer-Verlag, 1996.

Michael Kühn. Rigid Hypertableaux. In Advances in Artificial Intelligence – Proceedings of the 21st Annual German Conference on Artificial Intelligence, pages 87–98, Springer-Verlag, 1997.

Peter Baumgartner. Hyper Tableaux – The Next Generation. In *Proceedings of the International Conference on Automated Reasoning with Analytic Tableaux and Related Methods (TABLEAUX)*, Springer-Verlag, 1998.

P. Hirschfeld. Modellgenerierung und Modelleliminierung: Ein Vergleich zweier Methoden des automatischen Beweisens, Diploma Thesis, University of Bonn, 1999.

Peter Werner. Modellgenerierung und Anfrageauswertung in disjunktiven deduktiven Datenbanken. Diploma Thesis, University of Würzburg, 1999.

Reiner Hähnle and Bernhard Beckert. Proof Confluent Tableau Calculi. In *Proceedings of the International Conference on Automated Reasoning with Analytic Tableaux and Related Methods (TABLEAUX)*, Springer-Verlag, 1999.

Peter Baumgartner, Norbert Eisinger, and Ulrich Furbach. A Confluent Connection Calculus. In *Proceedings of the 16th International Conference on Automated Deduction (CADE)*, Springer-Verlag, 1999.

François Bry and Adnan Yahya. Positive Unit Hyperresolution Tableaux and Their Application to Minimal Model Generation. *Journal of Automated Reasoning*, Volume 25, pages 35–82, 2000.

Peter Baumgartner. FDPLL – A First-Order Davis-Putnam-Logeman-Loveland Procedure. In *Proceedings of the 17th International Conference on Automated Deduction (CADE)*, Springer-Verlag, 2000

Jan van Eijck. Constrained Hyper Tableaux. In *Proceedings of the 15th International Workshop on Computer Science Logic (CSL)*, pages 232–246, Springer-Verlag, 2001.

Jan van Eijck. Model Generation from Constrained Free Variable Tableaux. In *Proceedings of the International Joint Conference on Automated Reasoning (IJCAR)*, 2001.

R Hahnle. Tableaux and related methods. In *Handbook of Automated Reasoning*, 2001.

T. M. Rudlof. SHR Tableaux- - A Framework for Automated Model Generation. *Journal of Logic and Computation*, Volume 11, Issue 1, pages 107-155, Oxford University Press, 2001.

Adnan Yahya and David A. Plaisted. Ordered Semantic Hyper Tableaux. *Journal of Automated Reasoning*, Volume 29, Issue 1, pages 17–57, 2002.

M. Giese. A Model Generation Style Completeness Proof for Constraint Tableaux with Superposition, In *Proceedings of the International Conference on Automated Reasoning with Analytic Tableaux and Related Methods (TABLEAUX)*, Springer-Verlag, 2002.

## 5 Space Reduction Strategies for Satchmo-like Theorem Provers

D.S. Wilson and D.W. Loveland. Incorporating relevancy testing in SATCHMO. Technical Report CS-1989-24, Duke University, 1989.

Allan Ramsay. Generating Relevant Models. *Journal of Automated Reasoning*, 1991.

Slim Abdennadher, François Bry, Norbert Eisinger, Tim Geisler. The theorem prover SATCHMO: Strategies, Heuristics and Applications. In *Proceedings of the Journées Francophone de Programmation en Logique & Journée d'étude Programmation par Contraintes et applications industrielles (JFPLC)*, pages 349–352, 1995.

François Bry and Rainer Manthey. Variationen über ein Thema: Suchstrategien und Datenstrukturen für SATCHMO-Beweiser. In *Proceedings of 11. Workshop Logische Programmierung (WLP)*, 1995.

Donald W. Loveland, David W. Reed, and Debra S. Wilson. SATCHMORE: SATCHMO with RElevancy, *Journal of Automated Reasoning*, Volume 14, Issue 2, pages 325–351, 1995.

Lifeng He, Yuyan Chao, Yuka Simajiri, Hirohisa Seki, and Hidenori Itoh. Constructing More Relevant Models. Concurrency and Parallelism, Programming, Networking, and Security – Proceedings of the 2nd Asian Computing Science Conference (ASIAN), pages 345–346, 1996.

R. Hasegawa, K. Inoue, Y. Ohta, and M. Koshimura. Non-Horn Magic Sets to Incorporate Top-down Inference into Bottom-up Theorem Proving. *Proceedings of the 14th International Conference on Automated Deduction (CADE)*, Springer-Verlag, 1997.

Yoshihiko Ohta, Katsumi Inoue, and Ryuzo Hasegawa. On the Relationship Between Non-Horn Magic Sets and Relevancy Testing. In *Proceedings of the 15th International Conference on Automated Deduction (CADE)*, Springer-Verlag, 1998

Lifeng He, Yuyan Chao, Yuka Shimajiri, Hirohisa Seki, and Hidenori Itoh. A-SATCHMORE: SATCHMORE with Availability Checking. *New Generation Computing*, Volume 16, Issue 1, pages 55–74, 1998.

Peter Baumgartner, Joseph Douglas Horton, and Bruce Spencer. Merge Path Improvements for Minimal Model Hyper Tableaux. In *Proceedings of the International Conference on Automated Reasoning with Analytic Tableaux and Related Methods (TABLEAUX)*, pages 51–65, Springer-Verlag, 1999.

F. Stolzenburg. Loop-Detection in Hyper-Tableaux by Powerful Model Generation. *Journal of Universal Computer Science*, 1999.

A. Ramsay and H. Seville. Models and Discourse Models. *Journal of Language and Computation*, 2000.

M. Koshimura and R. Hasegawa. Proof Simplification for Model Generation and Its Applications, In *Proceedings of the 7th International Conference on Logic for Programming, Artificial Intelligence, and Reasoning (LPAR)*, Springer-Verlag, 2000.

Miyuki Koshimura, Hiroshi Fujita, and Ryuzo Hasegawa. Model Generation with Boolean Constraints. In *Proceedings of the 8th International Conference on Logic for Programming, Artificial Intelligence, and Reasoning (LPAR)*, page 299, Springer-Verlag, 2001.

Lifeng He. I-SATCHMO: An Improvement of SATCHMO, *Journal of Automated Reasoning*, Volume 27, Issue 3, pages 313–322, 2001.

A. Ramsay. Theorem Proving for Untyped Constructive  $\lambda$ -Calculus: Implementation and Application. Logic Journal of the IGPL, 2001.

Lifeng He. UNSEARCHMO: Eliminating Redundant Search Space on Backtracking for Forward Chaining Theorem Proving, *Proceedings of the Joint International Conference on Artificial Intelligence (IJCAI)*, pages 618–623, 2001.

M. Giese. A Model Generation Style Completeness Proof for Constraint Tableaux with Superposition, In *Proceedings of the International Conference on Automated Reasoning with Analytic Tableaux and Related Methods (TABLEAUX)*, Springer-Verlag, 2002.

Yuyan Chao, Norimitsu Kawana, Lifeng He, Tsuyoshi Nakamura, and Hidenori Itoh. R-UNSEARCHMO: A Refinement on UNSEARCHMO. In *Proceedings* of the 7th Pacific Rim International Conference on Artificial Intelligence (PRI-CAI), page 29, Springer-Verlag, 2002.

Donald W. Loveland and Adnan H. Yahya. SATCHMOREBID: SATCHMO(RE) with BIDirectional relevancy. *New Generation Computing*, Volume 21, Issue 3, Ohmsha, 2003.

Lifeng He, Yuyan Chao, and Hidenori Itoh. Eliminating Redundant Search Space on Backtracking for Forward Chaining Theorem Proving. *Journal of Computer Science Technology*, Volume 18, Issue 5, pages 580–591, 2003.

David A. Plaisted and Adsnan Yahya. A Relevance Restriction Strategy for Automated Deduction. *Artificial Intelligence*, Volume 144, Issues 1–2, pages 59–93, 2003.

Lifeng He, Yuyan Chao and Hidenori Itoh. R-SATCHMO: Refinements on I-SATCHMO. *Journal of Logic and Computation*, Volume 14, Issue 2, pages 117-143, 2004

L. F. He, C. Yuyan, N. Tsuyoshi, and I. Hidenori. I-SATCHMORE: an improvement of A-SATCHMORE Journal of Computer Science and Technology, Volume 18, Issue 2, pages 181–189, 2003.

## 6 Proving Finite Satisfiability with Satchmo-like Theorem Provers

François Bry and Sunna Torge. Model Generation for Applications – A Tableaux Method Complete for Finite Satisfiability. Technical Report, University of Munich, 1997.

Sunna Torge. Uberprüfung der Erfüllbarkeit im Endlichen: Ein Verfahren und seine Anwendung. PhD Thesis, University of Munich, 1998.

François Bry and Sunna Torge. A Deduction Method Complete for Refutation and Finite Satisfiability. In *Proceedings of 6th European Workshop on Logics in Artificial Intelligence*, Springer-Verlag, 1998.

## 7 Generation of Minimal Herbrand Models with Satchmo-like Theorem Provers

Thomas Brüggemann, François Bry, Norbert Eisinger, Tim Geisler, Sven Panne, Heribert Schütz, Sunna Torge, and Adnan Yahya. Satchmo: Minimal Model Generation and Compilation (System Description). In *Proceedings of IV-èmes Journées Francophones de Programmation Logique et Programmation par Contraintes (JFPLC)*, 1995.

François Bry and Adnan H. Yahya. Minimal Model Generation with Positive Unit Hyper-Resolution Tableaux. In *Proceedings of the 5th International Workshop on Theorem Proving with Analytic Tableaux and Related Methods (TABLEAUX)*, pages 143–159, Springer-Verlag, 1996.

Wenjin Lu. Minimal Model Generation Based on E-hyper Tableaux. In Advances in Artificial Intelligence – Proceedings of the 21st Annual German Conference on Artificial Intelligence, pages 99–110, Springer-Verlag, 1997.

François Bry and Adnan Yahya. Positive Unit Hyperresolution Tableaux and Their Application to Minimal Model Generation. *Journal of Automated Reasoning*, Volume 25, pages 35–82, 2000.

### 8 Applications of Satchmo-like Theorem Provers

François Bry, Hendrik Decker, and Rainer Manthey. A Uniform Approach to Constraint Satisfaction and Constraint Satisfiability in Deductive Databases. *Proceedings of the International Conference on Extending Database Technology (EDBT)*, pages 488–505, Springer-Verlag, 1988.

G. Friedrich and W. Nejdl. MOMO: Model-Based Diagnosis for Everybody. *Proceedings of the IEEE Conference on Artificial Intelligence*, 1990.

François Bry. Intensional Updates: Abduction via Deduction. *Proceedings of the 7th International Conference on Logic Programming*, pages 561–575, MIT Press, 1990.

K. Inoue, Yoshihiko Ohta, Ryuzo Hasegawa, and M. Nakashima. Hypothetical reasoning systems on the MGTP. Technical Report, ICOT, 1992. (In Japanese)

Richard Rankin and Ralph Wilkerson. Proving Functionally Difficult Problems Through Model Generation. *Proceedings of the 1992 ACM/SIGAPP Symposium on Applied Computing (SAC)*, pages 526–529, 1992.

Marc Denecker and Danny De Schreye. On the Duality of Abduction and Model Generation in a Framework for Model Generation With Equality. Theoretical Computer Science, Volume 122, Issues 1–2, pages 225–262, Elsevier Science Publishers Ltd., 1994.

C. Aravindan and P. Baumgartner. A Rational and Efficient Algorithm for View Deletion in Databases. *Proceedings of the 1997 international Symposium on Logic programming (SLP)*, pages: 165–179, MIT Press, 1997.

Ryuzo Hasegawa, Katsumi Inoue, Yoshihiko Ohta, and Miyuki Koshimura. Non-Horn Magic Sets to Incorporate Top-down Inference into Bottom-up Theorem Proving. In *Proceedings of the 14th International Conference on Automated Deduction (CADE)*, pages 176–190, Springer-Verlag, 1997.

Yoshihiko Ohta, Katsumi Inoue, and Ryuzo Hasegawa. On the Relationship Between Non-Horn Magic Sets and Relevancy Testing. In *Proceedings of the 15th International Conference on Automated Deduction (CADE)*, Springer-Verlag, 1998.

François Bry, Norbert Eisinger, Heribert Schütz, and Sunna Torge. SIC: An Interactive Tool for the Design of Integrity Constraints (System Description), In *Proceedings of the International Conference on Extending Database Technology*, 1997.

François Bry, Norbert Eisinger, Heribert Schütz, and Sunna Torge. SIC: Ein interaktives Deduktionssystem zur Überprüfung der Erfüllbarkeit von Integritätsbedingungen in Datenbanken, In *Proceedings of Inference-Mechanisms in Knowledge-Based Systems: Theory and Applications*, Workshop im Rahmen der 22. Jahrestagung Knstliche Intelligenz, Springer-Verlag, 1998.

François Bry, Norbert Eisinger, Heribert Schütz, and Sunna Torge. SIC: Satisfiability Checking for Integrity Constraints, In *Proceedings of Deductive Databases and Logic Programming, workshop at JICSLP*, 1998.

Norbert E. Fuchs, Uta Schwertel, and Sunna Torge. A Natural Language Front-End to Automatic Verification and Validation of Specifications, Research Report, Univerity of Munich, 1999.

Norbert E. Fuchs, Uta Schwertel, and Sunna Torge. Controlled Natural Language Can Replace First-Order Language, In *Proceedings of 14th International Conference on Automated Software Engineering*, 1999.

François Bry and Sunna Torge. Solving Database Satisfiability Problems, In Proceedings of 11. Workshop Grundlagen von Datenbanken, 1999.

P. Baumgartner and M. Kuhn. Abducing Coreference by Model Construction. *Journal of Language and Computation*, 2000.

Stephen G. Pulman. Statistical and Logical Reasoning in Disambiguation. *Philosophical Transactions: Mathematical, Physical and Engineering Sciences*, Volume 358, Issue 1769, pages 1267–1280, 2000.

C. Aravindan and P. Baumgartner. Theorem Proving Techniques for View Deletion in Databases, *Journal of Symbolic Computation*, 2000.

Peter Baumgartner, Ulrich Furbach, and B. Thomas. Model-Based Deduction for Knowledge Representation, In *Proceedings of 17. Workshop Logische Programmierung (WLP)*, 2002.

Marc Denecker and Antonis C. Kakas. Abduction in Logic Programming. In Computational Logic: Logic Programming and Beyond, Essays in Honour of Robert A. Kowalski, Part I, pages: 402–436, Springer-Verlag, 2002.

Wolfgang Ahrendt. Deductive Search for Errors in Free Data Type Specifications Using Model Generation. In *Proceedings of the 18th International Conference on Automated Deduction (CADE)*, page 211, Springer-Verlag, 2002.

P. Baumgartner, U. Furbach, and B. Thomas. Model-Based Deduction for Knowledge Representation, In *Proceedings of 17. Workshop Logische Programmierung (WLP)*, 2002.

A. Formica. Finite Satisfiability of Integrity Constraints in Object-Oriented Database Schemas. *IEEE Transactions on Knowledge and Data Engineering*, 2002.

Toshiko Wakaki, Katsumi Inoue, Chiaki Sakama, and Katsumi Nitta. Computing Preferred Answer Sets in Answer Set Programming. In *Proceedings of the 10th International Conference on Logic for Programming, Artificial Intelligence, and Reasoning (LPAR)*, pages 259–273, Springer-Verlag, 2003.

Norbet E. Fuchs and Uta Schwertel. Reasoning in Attempto Controlled English. In *Proceedings of the 1st Workshop on Principles and Practice of Semantic Web (PPSWR)*, Springer-Verlag, 2003.

Yasuyuki Shirai and Ryuzo Hasegawa. Answer Set Computation Based on a Minimal Model Generation Theorem Prover. In *Trends in Artificial Intelligence – Proceedings of the 8th Pacific Rim International Conference on Artificial Intelligence (PRICAI)*, pages 43–52, Springer-Verlag, 2004.

### 9 Misceleanous

Mathias Kettner. Ein System zur Konstruktion, Modifikation und Untersuchung von PUHR-Tableaux. Diploma Thesis, University of Munich, 1997.

Mathias Kettner and Norbert Eisinger. The Tableau Browser SNARKS (System Description). In *Proceedings of 14th International Conference on Automated Deduction (CADE)*, Springer-Verlag, 1997.

Norbert Eisinger and Tim Geisler. Problem Solving with Model-Generation Approaches based on PUHR Tableaux. In *Proceedings of Problem-solving Methodologies with Automated Deduction*, 1998.

### References

- 1. Gérard Huet. Résolution d'Équations dans les Langages d'Ordre  $1, 2, ..., \omega$ . Thèse de doctorat d'État, Université Paris VII, 1976.
- Rainer Manthey and François Bry. SATCHMO: A Theorem Prover Implemented in Prolog. In Proceedings of the 9th International Conference on Automated Deduction, pages 415–434. Springer-Verlag, 1988.
- J. A. Robinson. Generalized Resolution Principle. Machine Intelligence, 3:77–94, 1968.