



INSTITUT FÜR STATISTIK  
SONDERFORSCHUNGSBEREICH 386



Einbeck, Kauermann:

## Online Monitoring with Local Smoothing Methods and Adaptive Ridging

Sonderforschungsbereich 386, Paper 248 (2001)

Online unter: <http://epub.ub.uni-muenchen.de/>

Projektpartner



# Online Monitoring with Local Smoothing Methods and Adaptive Ridging

Jochen Einbeck\* and Göran Kauermann†

16th July 2001

## Abstract

We consider online monitoring of sequentially arising data as e.g. met in clinical information systems. The general focus thereby is to detect breakpoints, i.e. timepoints where the measurement series suddenly changes the general level. The method suggested is based on local estimation. In particular, local linear smoothing is combined by ridging with local constant smoothing. The procedure is demonstrated by examples and compared with other available online monitoring routines.

*Key Words:* Breakpoint Detection, Online Monitoring, Local Linear Smoothing, Ridging.

---

\*Department für Statistik, Ludwig-Maximilians-Universität München, Akademiestraße 1, 80799 München, Germany

†Department of Statistics and Robertson Centre, University of Glasgow, Boyd Orr Building, Glasgow G12 8QQ, United Kingdom

# 1 Introduction

A considerable number of papers in the last years focussed on modelling and testing of edges and jumps in smooth functions, see e.g. McDonald & Owen (1986), Hall & Titterton (1992), Chu, Glad, Godtliebsen & Marron (1998), Müller & Stadtmüller (1999). These methods are however preferably or exclusively designed for data which are analyzed “offline”. This means the entire data set is available for the analysis. In contrast, “online” monitoring is required if observations arrive successively in time. Then at each time point a decision is required whether a jump or edge has occurred. In this paper we will extend some of the “offline” tools above for monitoring data online. We develop an online test checking for breakpoints.

The analysis of data occurring online is an important issue in various fields of science and industry. This includes quality control management, time series in finance or online monitoring of clinical information systems. A general overview of existing procedures for online monitoring is found in Basseville & Nikiforov (1993). The use of online methods in clinical information systems has been focussed by e.g. by Daumer & Falk (1998), who make use of a Kalman filter to detect jumps and thresholds in the (online) ECG profile of a patient after surgery. Imhoff & Bauer (1996) and Bauer, Gather & Imhoff (1999) make use of a time series approach for online monitoring while Daumer (1997) uses an adaptive control chart based on moving averages. In all these papers the general focus is to detect sudden structural changes in order to give alarm.

The general problem for online monitoring we are considering here can be described as follows. Assume that at time-point  $t$  the measurement  $y_t$  is observed. It

is assumed that  $y_t$  follows the stochastic model

$$y_t = \mu(t) + \varepsilon_t \quad (1)$$

where  $\mu(t)$  is the mean function in time, which possibly also depends on other covariates, and  $\varepsilon_t$  is a random noise, which is allowed to be correlated with previous observations. Both,  $y_t$  and hence  $\varepsilon_t$  are allowed to be multivariate, but we restrict to the univariate case here. Based on the information available at time-point  $t$ , i.e. based on  $y_1, \dots, y_t$ , it is to decide whether  $\mu(t)$  has a breakpoint at time-point  $t$ . A breakpoint here means that  $\mu(t)$  is discontinuous, i.e. there is a jump at  $t$ , or  $\mu(t)$  has a discontinuous first derivative, i.e. there is an edge or sharp bend at  $t$ . Online monitoring of the data should give alarm if a breakpoint occurs at time-point  $t$ .

A convenient approach is to compare the observed value  $y_t$  with a predictor  $\hat{y}_t$ . Alarm is given if  $y_t$  differs from the predictor by more than the threshold  $A_t$ , say, i.e. if

$$|y_t - \hat{y}_t| > A_t. \quad (2)$$

The threshold  $A_t$  is thereby chosen such that sensitivity of the alarm rule is achieved while the probability of false alarms is small. The prediction  $\hat{y}_t$  is calculated from previous values  $y_{t-h}, \dots, y_{t-1}$ , with  $h$  as time lag. Daumer (1999) suggests to calculate  $\hat{y}_t$  by a running mean calculated from  $y_{t-h}, \dots, y_{t-d}$ , where  $d$  is a second time lag with  $1 < d < h$ . Hence observations in the near past are left unconsidered. The time lag  $d$  serves as delay for the running mean and Daumer shows that for  $d > 1$  the alarm rule (2) improves its performance compared to taking  $d = 1$ . In this paper we apply more sophisticated smoothing techniques instead of a simple running mean. We make use of local polynomial fitting (see e.g. Fan & Gijbels, 1996) which reacts

better on structural changes and moreover can cope for smooth shifts, unlike the running mean.

Considering (2) it becomes obvious, that the alarm rule basically depends on the value of  $y_t$ . This in turn implies a high variance of the procedure. We therefore replace  $y_t$  in (2) by a smooth estimate of  $\mu(t)$ . In the same way we replace the predictor by a second smooth estimate. This means we consider the alarm rule

$$|\hat{\mu}_1(t) - \hat{\mu}_2(t)| > A_t \quad (3)$$

where  $\hat{\mu}_1(t)$  and  $\hat{\mu}_2(t)$  are two estimates of  $\mu(t)$ . The first estimate  $\hat{\mu}_1(t)$  is thereby calculated as long term estimate from  $y_{t-h_1}, \dots, y_t$  while  $\hat{\mu}_2(t)$  is a as short term smoother obtained from  $y_{t-h_2}, \dots, y_t$ , where  $h_2 < h_1$ . The major difference of (3) compared to (2) is, that we do not compare the current observation with its predictor, but we compare two estimates of the mean function. The basic idea behind this is that if  $\mu(t)$  has a jump or a sharp bend at  $t$ , the long term estimate  $\hat{\mu}_1(t)$  and the short term estimate  $\hat{\mu}_2(t)$  will essentially differ. If in contrast  $\mu(t)$  is smooth, both smooth estimates will basically be the same. Hence the alarm rule (3) can be seen as smooth test statistic, where large values indicate a violation in the smoothness of  $\mu(t)$ .

The bandwidth  $h_2$  which is chosen for the short term estimate mainly determines the speed of reaction of the alarm. Taking a large value for  $h_2$ , the reaction time and the specificity of the alarm rule increases while the variance of the alarm rule decreases so that false alarms are less probable. Using a small bandwidth  $h_2$  on the other hand improves the reaction time and the sensitivity of the alarm rule (3) but the variability increases. The second tuning parameter is  $h_1$  which covers the general

stationarity and stability of the process. Beside the choice of the two bandwidths  $h_1$  and  $h_2$  the fixing of the threshold  $A_t$  is required which however results from simple variance calculations.

The choice of the applied smoothing method is thereby essential. Generally speaking, smoothing methods are weak in detecting jumps since they smooth over edges or jumps. Once a jump occurs and is detected, it is therefore necessary that the smooth estimates adjust quickly for the new level or shift. It is well known that local linear smoothing and local constant smoothing, which is a simple running mean, react quite differently at the boundary of the support points. Note that by definition, the online estimates are calculated at the boundary. We will combine both estimates using a ridge regression, as suggested in Seifert & Gasser (2000) for “offline” analysis. The ridge regressor thereby results as weighted mean of the local linear and the local constant estimate.

## 2 Local Linear Smoothing and Breakpoint Detection

We calculate the long term estimate by fitting a local linear model to the data pairs  $(t - i, y_{t-i})$  for  $i = 0, 1, \dots, h_1$ . Let therefore  $K_1(\cdot)$  denote a kernel function with support  $[0, h_1]$ , e.g.  $K_1(\cdot)$  is the uniform kernel with  $K_1(x) = 1/h_1$  for  $x \in [0, h_1]$  and  $K_1(x) = 0$  otherwise. Another example is found by taking  $K_1(\cdot)$  as the truncated normal density with mean  $h_1/2$  and variance  $(h_1/4)^2$ . The estimate  $\hat{\mu}_1(t)$  is then obtained by fitting a weighted linear model using the kernel  $K_1(\cdot)$  as weight function. It is not difficult to show that the resulting estimate is the weighted mean

$$\hat{\mu}_1(t) = \sum_{i=0}^{h_1} w_{i,1} y_{t-i} \quad (4)$$

with weights

$$\begin{aligned} w_{i,1} &= (1,0)K_1(i) \left( \sum_{j=0}^{h_1} K_1(j) \binom{1}{-j} (1,-j) \right)^{-1} \begin{pmatrix} 1 \\ -i \end{pmatrix} \\ &= \frac{K_1(i)(S_{h_1,2} + iS_{h_1,1})}{S_{h_1,0}S_{h_1,2} - S_{h_1,1}^2} \end{aligned} \quad (5)$$

where  $S_{h_1,j} = \sum_{i=0}^{h_1} K_1(i)(-i)^j$  for  $j = 0, 1, 2$ . It is important to note that the weights do not change in  $t$  and hence they can be calculated once and no updating is required.

In the same fashion one obtains the short term estimate  $\hat{\mu}_2(t)$  as local linear fit to the data  $(t-i, y_{t-i})$ ,  $i = 0, \dots, h_2$ . Let therefore  $K_2(\cdot)$  be a kernel density with support  $[0, h_2]$ , e.g. a half sided normal distribution. Figure 1 demonstrates this setting. For  $i = 0, \dots, h_2$  we set

$$w_{i,2} = \frac{K_2(i)(S_{h_2,2} + iS_{h_2,1})}{S_{h_2,0}S_{h_2,2} - S_{h_2,1}^2}$$

with  $S_{h_2,j} = \sum_{i=0}^{h_2} K_2(i)(-i)^j$  for  $j = 0, 1, 2$ , while  $w_{i,2} = 0$  for  $i > h_2$ . The short term estimate is then available through

$$\hat{\mu}_2(t) = \sum_{i=0}^{h_1} w_{i,2}y_{t-i} = \sum_{i=0}^{h_2} w_{i,2}y_{t-i}. \quad (6)$$

The weights are for convenience constructed such that the vectors  $\mathbf{w}_1 = (w_{0,1}, \dots, w_{h_1,1})^T$  and  $\mathbf{w}_2 = (w_{0,2}, \dots, w_{h_1,2})^T$  have equal length. We now combine the two estimates in the alarm rule (3). If  $\mu(t)$  is smooth in  $[t-h_1, t]$  one gets for the bias of  $\hat{\mu}_1(t) - \hat{\mu}_2(t)$

$$\begin{aligned} E\{\hat{\mu}_1(t) - \hat{\mu}_2(t)\} &= \mu''(t)/2 \sum_{i=0}^{h_1} (w_{i,1} - w_{i,2})(-i)^2 + \dots \\ &= \mu''(t)/2 \left( \frac{S_{h_1,2}^2 - S_{h_1,1}S_{h_1,3}}{S_{h_1,0}S_{h_1,2} - S_{h_1,1}^2} - \frac{S_{h_2,2}^2 - S_{h_2,1}S_{h_2,3}}{S_{h_2,0}S_{h_2,2} - S_{h_2,1}^2} \right) + \dots \end{aligned}$$

The bias thereby gets large if  $\mu''(t)$  is large, which is the case if  $\mu(\cdot)$  rapidly changes its direction at  $t$ . As extreme case this results in a jump or sharp bend. The quantity  $\hat{\mu}_1(t) - \hat{\mu}_2(t)$  in the alarm rule (3) can therefore be seen as an empirical estimate for the second order derivative of  $\mu(\cdot)$ . If the resulting value is large in absolute terms the resulting function is likely to be rough or unsmooth in  $t$ .

The choice of the threshold  $A_t$  in (3) requires the estimation of the variability of  $\hat{\mu}_1(t) - \hat{\mu}_2(t)$ . We rewrite  $\hat{\mu}_1(t) - \hat{\mu}_2(t)$  as

$$\hat{\mu}_1(t) - \hat{\mu}_2(t) = \sum_{i=0}^{h_1} w_i y_{t-i} \quad (7)$$

where  $w_i = w_{i,1} - w_{i,2}$ . Assuming local stationarity, simple calculation leads to

$$\begin{aligned} \text{var}\{\hat{\mu}_1(t) - \hat{\mu}_2(t)\} &= \sum_{i=0}^{h_1} w_i^2 \sigma^2 + 2 \sum_{i=0}^{h_1} \sum_{j>i}^{h_1} w_i w_j \text{cov}(\varepsilon_{t-i}, \varepsilon_{t-j}) \\ &= \sum_{i=0}^{h_1} w_i^2 \gamma(0) + 2 \sum_{i=0}^{h_1} \sum_{j>i}^{h_1} w_i w_j \gamma(i-j) \end{aligned} \quad (8)$$

where  $\gamma(d) = \text{cov}(y_{l-d}, y_l)$  is the covariance function and  $\sigma^2 = \gamma(0) = \text{var}(y_l)$  with  $l = t - h_1, \dots, t$ . Estimation of (8) can then be done by the simple moment based estimate (see Brockwell & Davis, 1987)

$$\hat{\gamma}(d) = \frac{c_d}{h+1-d} \sum_{i=t-h}^{t-d} \{y_i - \hat{\mu}_2(i)\} \{y_{i+d} - \hat{\mu}_2(i+d)\}. \quad (9)$$

where  $c_d > 1$  is a constant which reduces the bias of the estimates and  $h > h_1$  is some timelag expressing the local stationarity of the process. Assuming  $y_l, l = 1, 2, \dots$  to be independent one finds for  $d = 0$  in (9) by taking expectation

$$E \left[ \sum_{i=t-h}^t \{y_i - \hat{\mu}_2(i)\}^2 \right] = \sigma^2 (h+1) \left( 1 - 2w_{0,2} + \sum_{j=0}^{h_2} w_{j,2}^2 \right).$$

For  $d > 0$  one gets

$$E \left[ \sum_{i=t-h}^{t-d} \{y_i - \hat{\mu}_2(i)\} \{y_{i+d} - \hat{\mu}_2(i+d)\} \right] = \sigma^2 (h+1-d) \left( -w_{d,2} + \sum_{j=0}^{h_2} w_{j,2} w_{j+d,2} \right)$$



Hence, setting  $c_0 = 1/(1 - 2w_{0,2} + \sum_{j=0}^{h_2} w_{j,2}^2)$  resp.  $c_d = 1/(-w_{d,2} + \sum_{j=0}^{h_2} w_{j,2}w_{j+d,2})$  provides a bias reduced variance estimate.

The computation of (9) in every timepoint can be accelerated by making use of the following iterative update scheme. Let  $\mathbf{d}_{t,h} = \{y_t - \hat{\mu}_2(t), y_{t-1} - \hat{\mu}_2(t-1), \dots, y_{t-h} - \hat{\mu}_2(t-h)\}^T$  and

$$\mathbf{D}_{t,h} = \begin{pmatrix} \frac{\mathbf{d}_{t,h}}{h+1} & \mathbf{0}_1 & \cdots & \mathbf{0}_{h_1} \\ \frac{\mathbf{d}_{t,h-1}}{h} & \cdots & \frac{\mathbf{d}_{t,h-h_1}}{h-h_1+1} & \cdots \end{pmatrix}$$

where  $\mathbf{0}_d$  are column vectors of zeros with length  $d$ . The covariance vector at time point  $t$  can then be estimated by  $\hat{\boldsymbol{\gamma}}_t = \mathbf{d}_{t,h}^T \mathbf{D}_{t,h} \mathbf{C}$ , where  $\hat{\boldsymbol{\gamma}}_t = \{\hat{\gamma}_t(0), \dots, \hat{\gamma}_t(h_1)\}$ ,  $\mathbf{C} = \text{diag}(c_i)_{0 \leq i \leq h_1}$  and the subscript  $t$  indicates that information available at timepoint  $t$  is used. Simple matrix algebra (see appendix) provides the approximate recursive formula

$$\hat{\boldsymbol{\gamma}}_{t+1} \approx \frac{1}{h+1} (y_{t+1} - \hat{\mu}_2(t+1)) \mathbf{d}_{t+1,h_1}^T \mathbf{C} + \frac{h}{h+1} \hat{\boldsymbol{\gamma}}_t. \quad (10)$$

Defining the covariance matrix  $\boldsymbol{\Gamma} = [\boldsymbol{\Gamma}]_{ij} = [\gamma(|i-j|)]_{ij}$  for  $i, j = 0, \dots, h_1$  one gets the variance estimate

$$\widehat{\text{var}}(\hat{\mu}_1(t) - \hat{\mu}_2(t)) = \mathbf{w} \hat{\boldsymbol{\Gamma}} \mathbf{w}^T \quad (11)$$

where  $\mathbf{w} = (w_0, \dots, w_{h_1})$  and  $\hat{\boldsymbol{\Gamma}}$  is a plug in estimate of  $\boldsymbol{\Gamma}$ . This suggests the alarm threshold

$$A_t = a \sqrt{\widehat{\text{var}}(\hat{\mu}_1(t) - \hat{\mu}_2(t))} \quad (12)$$

where  $a$  is chosen such that the alarm rule is sensitiv and false alarms a less probable. This provides a simple test on presence of a breakpoint: We reject the hypothesis

“No breakpoint at time  $t$ ” if

$$|T_t| = \left| \frac{\hat{\mu}_1(t) - \hat{\mu}_2(t)}{\sqrt{\widehat{\text{var}}(\hat{\mu}_1(t) - \hat{\mu}_2(t))}} \right| > u_{1-\frac{\alpha}{2}} \quad (13)$$

where  $\alpha$  is the error probability and  $u_{1-\frac{\alpha}{2}}$  is the  $1 - \alpha/2$  quantile of the  $N(0, 1)$ -distribution.

### 3 Practical Adjustments

#### 3.1 Ridging

In Chapter 2 we suggested to use local linear fitting to calculate the long and short term estimates. All estimates are done at the boundary, where Local polynomial smoothers are known to be more variable than local constant smoothers. In terms of variability one therefore has to consider the Nadaraya-Watson estimate

$$\hat{\mu}_{1,NW}(t) = \sum_{i=0}^{h_1} w_{i,1,NW} y_{t-i} \quad (14)$$

with  $w_{i,1,NW} = K_1(i)/S_{h_1,0}$  as a competitor to  $\hat{\mu}_1(t)$ .

Figure 3 shows the behavior of the local estimates when used with the alarm rule (3) for independent Gaussian errors. Both estimates detect the jump at 200 and the bend at 400, but the bend at 600 is only found by the local linear fit, since this adopts the inclination. Hence, one should use a local linear fit when there is a slope in the data while local constant appears more appropriate if the data are flat. Considering the local linear fit in more depth uncovers a further drawback. The local linear fit adjusts for the model violation shortly after the jump, while the local constant fit reacts delayed. Thereafter however the local linear fit over-steers the shift and the local constant gets superior. Figure 2 gives a tutorial to demonstrate

this point. In order to balance local linear and local constant fitting we propose to use Ridging as suggested in Seifert & Gasser (2000). This means we replace the long term estimate by

$$\hat{\mu}_{1,ridge}(t) = \lambda_t \hat{\mu}_{1,NW}(t) + (1 - \lambda_t) \hat{\mu}_1(t) \quad (15)$$

where  $\lambda_t \in [0, 1]$  is the ridge parameter. The ridge estimate again results as a weighted sum of the observations  $y_i$  so that variance calculations for the ridge estimate are straight forward. In practice it is often helpful to choose  $\lambda$  data adaptive. We make use of the setting

$$\lambda_t = e^{-c \hat{\beta}^2(t)} \quad (16)$$

where  $\hat{\beta}(t)$  is the estimated slope of the function  $\mu(t)$  obtained from the local linear fit by

$$\hat{\beta}(t) = \sum_{i=0}^{h_1} v_i y_{t-i}$$

with  $v_i = K_1(i)(S_{h_1,1} + iS_{h_1,0}) / (S_{h_1,1}^2 - S_{h_1,0}S_{h_1,2})$ . In Figure 3 for  $c = 50$  it becomes obvious that the ridge estimate combines the advantages of local linear and local constant fitting. Figure 4 shows the value of  $\lambda_t$  over time in this example.

### 3.2 Missing Values and Outliers

In practical applications one is often faced with outliers or missing data which disturb the performance of the alarm rule. We suggest the following adjustments. If observation  $y_t$  is missing we impute a predicted value  $\hat{y}_t$  calculated from the previous observations. A simple setting is to use  $\hat{y}_t = \hat{\mu}(t - 1)$ . This however will not cover

possible shifts. We therefore predict  $y_t$  by extrapolation from the previous estimates by using a linear extrapolation from  $\hat{\mu}_2(t - h_2), \dots, \hat{\mu}_2(t - 1)$ . The weights for the extrapolation have to be calculated once, so that extrapolation is numerically simple.

In a similar fashion we handle outliers. An outlier is classified as a single or small group of observations which do not follow the model. A detection rule for outliers is for instance

$$|y_t - \hat{y}_t| > k\sqrt{\hat{\gamma}_{t-1}(0)} \quad (17)$$

where  $\hat{y}_t$  is a predictor for  $y_t$  calculated as above and  $k$  is some positive constant. If  $y_t$  is classified as outlier, its value is substituted by its predictor. Moreover, if (17) holds for a number of consecutive time-points alarm should be given.

### 3.3 Variance Calculation

The moment based variance estimator described in the previous section can be inefficient if the data are uncorrelated or the errors trace from a model with parametric dependence pattern, e.g. an AR(1) process. In the first case one can set  $\gamma(i) = 0$  for  $i > 0$ . In the latter case one could use the assumed dependence process to improve the variance estimation. For the AR(1) process for instance one fits locally the regression model

$$\varepsilon_t = \rho\varepsilon_{t-1} + \nu_t \quad (18)$$

to the residuals  $\varepsilon_t$ , where  $\nu_t$  are uncorrelated white noise errors. This yields the covariance function  $\gamma(d) = \sigma^2\rho^d$  for  $d = 0, \dots, h$ . In practice (18) is fitted to the

fitted residual  $\hat{\varepsilon}_t = y_t - \widehat{\mu}_2(t)$  and one obtains

$$\hat{\rho} = \frac{\sum_{i=1}^h \hat{\varepsilon}_{t-i} \hat{\varepsilon}_{t-i+1}}{\sum_{i=1}^h \hat{\varepsilon}_{t-i}^2}.$$

The coefficient  $\hat{\rho}$  can thereby again be updated recursively from previous values as shown in the appendix.

Variance calculation suffers from jumps and edges since both estimates, the short term and the long term estimate are biased at the jumps and residuals are overfitted. It is therefore advisable to pause online updating of the variance once a jump or outlier has been detected. This means in this case one sets  $\hat{\gamma}_t = \hat{\gamma}_{t-1}$  until the alarm is stopped.

## 4 Examples

### 4.1 Cardio Beats

In a hospital the cardio beats per minute of the mother before the confinement are monitored. It is of interest to detect sudden changes in the recorded data. Fig. 5 shows the data and the resulting short and long term estimates. We used bandwidths  $h_1 = 160, h_2 = 30, h = 300$  and a ridging constant  $c = 80$ .

A special property of this data set is the large amount of missing values, displayed as data points with  $Y = 0$ . However, the algorithm manages to outnumber these values and hence the estimated curves are not affected as seen in the first period of missing values from  $t = 176$  to  $t = 196$ . The bottom graph in Fig. 5 shows the standardized test statistic  $T_t$  and bands given by the 99.5%- quantile of the standard normal distribution. It is seen that all jumps are detected quickly and significantly.

At points 199 and 240 a shift in the level is found while at 340 the cardio beats decrease abruptly with level changes detected at 399 and 421. Afterwards the cardio beat frequency increases slowly until it reaches the plateau. The end of the increase is detected at 604.

## 4.2 ECG Measurements

In the second example we apply the method to data which have been previously used in Daumer & Falk (1998) for the demonstration of their online monitoring algorithm. The data are ECG measurements taken every five seconds from a patient undergoing a skin transplantation. At  $t = 219$  an artificial outlier is added. Figure 6(a) and 6(b) show the long term estimates and test statistics for different settings of the ridging parameter  $c$  in (16). For all settings the breakpoints at timepoint 120 and 285 are detected. Afterwards however the estimates behave differently. For  $c = 0$  one obtains a local constant estimate. This is unable to adjust for the slope and does not find the end of the slope area at 378. Afterwards the local constant detects small level changes at 454, 497, 515 and 739. On the contrary the local linear fit, obtained for  $c = \infty$ , gives the end of the slope area but oversteers afterwards so that some small level changes are not uncovered, but some spurious alarm signals are given. In contrast, setting the ridging parameter  $c = 120$  compensates the problem of oversteering and detects both, the end of the slope area as well as the small level changes afterwards. In general, local constant estimators are better in detecting level changes, while local linear estimators detect breaks of trends. Finding the appropriate ridging parameter means balancing between these two goals.

We return to this data example in the next section and compare our method with

the procedure suggested in Daumer & Falk (1998).

## 5 Comparison to other methods

### 5.1 Autoregressive models

In Gather, Bauer, Imhoff & Löhlein (1998) it is assumed that the data follow an autoregressive model. We illustrate their method at the cardio data from above. Before applying the method, we substitute the missing values by short-term-predictors. Then the data set is divided in an estimation period and a prediction period. Since the data have to be more or less stationary during the estimation period, we choose the estimation period  $t = 1, \dots, 180$ . In order to obtain a nearly balanced proportion between the amount of data in the two periods we reduce the data set to the first 380 data points.

During the estimation period the parameters for the AR-process are estimated (the AIC criterion suggested an AR(1) model). In the prediction period it is observed whether the data points are inside or outside a confidence band surrounding the predicted values. The result is shown in Fig. 7 for a 95% confidence interval. If less than five consecutive observations are outside of the confidence interval, then they are classified as outliers, whereas a level change is detected for more than five points out of the confidence interval. Thus, the jump detected at  $t = 197$  is classified as a level change at  $t = 201$ , compared to a detection at  $t = 199$  with our adaptive ridging method.

We conclude that the AR method by Gather et al. is a fast and reliable method, but is probably not suitable for every kind of data, especially data with quickly

changing rising or falling trends, whereas the local estimation method we proposed in this paper adapts to a wide range of data situations.

## 5.2 Phase space models

Another idea of Gather, Bauer, Imhoff & Löhlein (1998) is to plot every data point against its previous data point in a state space. We tried this method for the first 380 cardio data points (see Fig. 8). Gather et. al. move a time window of length 60 through the data and alarm is given if the next five consecutive observations are in a different region than the previous 60 ones. In the plot, the way of the data in the state space can be followed. Starting somewhere in the left down area of the big cluster, the line climbs up to the right top edge, then falls down and turns left to the small cluster (representing the data points  $t = 197, \dots, t = 232$ ) and finally climbs up again to the big cluster. Every change of the cluster represents a jump in the data. This means that alarm is given at the timepoints  $t = 201$  and  $237$ , compared to alarm signals at  $t = 199$  and  $240$  with the adaptive ridging method.

Though this method is very useful for visualizing the structure of the data, we think it might be difficult to use it online for reliable alarm detection, especially for sloping data, where the dividing lines between single clusters become foggy.

## 5.3 State Space Models

Daumer & Falk (1998) and Fahrmeir & Künstler (1999) use state space models for filtering time series. A linear state space model is given by a linear observation equation

$$y_t = z_t' \beta_t + \varepsilon_t \quad (t = 1, 2, \dots)$$



for the observations  $y_1, y_2, \dots$  given the states  $\beta_1, \beta_2, \dots$ , which is supplemented by a linear transition equation

$$\begin{aligned}\beta_t &= F_t \beta_{t-1} + v_t & (t = 1, 2, \dots) \\ \beta_0 &= a_0 + v_0\end{aligned}$$

with Gaussian errors  $\varepsilon_t$  and  $v_t$ , nonrandom vectors  $z_1, z_2, \dots$  and transition matrices  $F_1, F_2, \dots$ . This model can be solved with Kalman filters. Daumer & Falk (1998) define such a state space model for each possible location of a jump. The resulting family of models, called a multi-process model, is examined with Bayesian methods and jumps are detected by choosing the most likely model. For detecting outliers, a 2nd multi-process model has to be introduced. Daumer & Falk (1998) apply their method to the data shown in Figure 6(a) and find changepoints at  $t = 120, 285, 506, 752$  and  $821$ . In contrast, the local ridging method with  $c=120$  uncovers the changepoints  $120, 285, 378, 432, 512, 739$  and  $788$ . It appears that both methods uncover abrupt changes from a long term level but the local adaptive ridging method appears more flexible and gives alarm also at short term changes. Moreover both methods are equal in the speed of detection.

## 6 Conclusion

We showed that local smoothing methods can be used effectively for detecting jumps and bends in online monitoring. The algorithm combines the advantages of many other breakpoint detection methods: It can be used online, since only the data given until the examined time point are necessary for the estimations. Furthermore it is able to detect jumps or bends of flat and sloping trends. The method adapts to

the variability of the data, which means that it will not give alarm for a small jump within highly fluctuating data, but will give alarm for the same jump for less variable data. Finally it is worth mentioning that only few computational effort is required, because the weights needed for the estimates have only to be calculated once and the variance calculations follow a simple update rule.

The only technical problem, namely the over-steering, can be solved quite satisfactory by adaptive ridging. However, we shouldn't suppress that it can't be avoided completely (see. Fig. 3 and 5). If one wants to exclude it totally, one has either to use only the data *after* a jump for the estimations of  $\hat{\mu}_1(t)$  and  $\hat{\mu}_2(t)$ , which requires recalculating all weights after every jump, or to use methods like edge-preserving smoothing (see Chu, Glad, Godtliebsen & Marron, 1998). However, both ways require large additional computational effort, so that it is questionable whether they convince in practice.

## Acknowledgements

The authors are grateful to the IMSE, Technical University Munich, for providing the data and especially to Martin Daumer, Technical University Munich, for explaining aims and problems of applied online monitoring and for providing information about the medicinal background of the data sets used in this paper.

The data were recorded within the the project B2 of SFB 386 "Online Monitoring" in collaboration with

- Institute of medicinal statistics und epidemiology (IMSE), TUM ( Prof. Dr. A. Neiß)
- Trium Analysis Online GmbH
- Women hospital and policlinic of TUM (Prof. Dr. K. T. M. Schneider, PD Dr. J. Gnirs)
- Institute of anaesthesiology, TUM (Prof. Dr. E. Kochs, O. Möllenberg)

## A Technical Details

*Derivation of (10)*

Note that

$$\begin{aligned}
& \mathbf{d}_{t+1,h}^T \mathbf{D}_{t+1,h} \\
&= \left( y_{t+1} - \hat{\mu}_2(t+1), \mathbf{d}_{t,h-1}^T \right) \begin{pmatrix} \frac{y_{t+1} - \hat{\mu}_2(t+1)}{h+1} & \mathbf{0}_1 & \cdots & \mathbf{0}_{h_1} \\ \frac{\mathbf{d}_{t,h-1}}{h+1} & \frac{y_{t+1} - \hat{\mu}_2(t+1)}{h} & \cdots & \frac{y_{t+1} - \hat{\mu}_2(t+1)}{h-h_1+1} \\ & \frac{\mathbf{d}_{t,h-2}}{h} & \cdots & \frac{\mathbf{d}_{t,h-h_1-1}}{h-h_1+1} \end{pmatrix} \\
&= \left( \frac{\{y_{t+1} - \hat{\mu}_2(t+1)\}^2}{h+1} + \frac{\mathbf{d}_{t,h-1}^T \mathbf{d}_{t,h-1}}{h+1}, \dots \right. \\
&\quad \left. , \frac{\{y_{t+1} - \hat{\mu}_2(t+1)\} \{y_{t-h_1+1} - \hat{\mu}_2(t-h_1+1)\}}{h-h_1+1} + \frac{\mathbf{d}_{t-h_1,h-h_1-1}^T \mathbf{d}_{t,h-h_1-1}}{h-h_1+1} \right).
\end{aligned}$$

Making use of  $\mathbf{d}_{t-d,h-d-1}^T \mathbf{d}_{t,h-d-1} / (h-d+1) \sim \mathbf{d}_{t-d,h-d}^T \mathbf{d}_{t,h-d} / (h-d+2)$  provides (10) for  $h$  sufficiently large.

*Update of  $\hat{\rho}_t$  in model (18)*

Note that

$$\begin{aligned}
\left( \sum_{i=0}^{h-1} \hat{\varepsilon}_{t-i}^2 \right)^{-1} &= \left( \hat{\varepsilon}_t^2 - \hat{\varepsilon}_{t-h}^2 + \sum_{i=1}^h \hat{\varepsilon}_{t-i}^2 \right)^{-1} \\
&\approx \left( \sum_{i=1}^h \hat{\varepsilon}_{t-i}^2 \right)^{-1} - \left( \sum_{i=1}^h \hat{\varepsilon}_{t-i}^2 \right)^{-2} (\hat{\varepsilon}_t^2 - \hat{\varepsilon}_{t-h}^2)
\end{aligned}$$

so that the inverse can be approximated by recursive updating. Setting  $R_{2,t}^{-1} = \left( \sum_{i=1}^h \hat{\varepsilon}_{t-i}^2 \right)^{-1}$  one gets  $R_{2,t+1}^{-1} \approx R_{2,t}^{-1} - R_{2,t}^{-2} (\hat{\varepsilon}_t^2 - \hat{\varepsilon}_{t-h}^2)$ . The numerator  $R_{1,t} = \sum_{i=1}^h \hat{\varepsilon}_{t-i} \hat{\varepsilon}_{t-i+1}$  can be updated by  $R_{1,t+1} = R_{1,t} + \hat{\varepsilon}_t \hat{\varepsilon}_{t+1} - \hat{\varepsilon}_{t-h} \hat{\varepsilon}_{t-h+1}$ .

## References

- Basseville, M. and Nikiforov, I. V. (1993). *Detection of Abrupt Changes, Theory and Application*. Englewood Cliffs, New Jersey, USA: Prentice Hall.
- Bauer, M., Gather, U., and Imhoff, M. (1999). Analysis of high dimensional data from intensive care medicine. In R. Payne & P. Green (Eds.), *Proceedings in Computational Statistics*, pp. 185–190. Springer-Verlag, Berlin.
- Brockwell, P. J. and Davis, R. A. (1987). *Time Series: Theory and Methods*. Springer-Verlag, Berlin, New York.
- Chu, C. K., Glad, I. K., Godtlielsen, F., and Marron, J. (1998). Edge-preserving smoothers for image processing (with discussion). *J. Amer. Statist. Assoc.* **93**, 526–541.
- Daumer, M. (1997). Online monitoring of change points. *Biomedizinische Technik* **42**, 95–96.
- Daumer, M. (1999). *Verfahren und Vorrichtung zur Erkennung von Driften, Sprüngen und/oder Ausreißern von Meßwerten*. Patent PCT/DE 99/01820.
- Daumer, M. and Falk, M. (1998). On-line change-point detection (for state space models) using multi-process kalman filters. *Linear Algebra and its Applications* **284**, 125–135.
- Fahrmeir, L. and Künstler, R. (1999). Penalized likelihood smoothing in robust state space models. *Metrika* **49**, 173–191.
- Fan, J. and Gijbels, I. (1996). *Local Polynomial Modelling and its Applications*. London: Chapman & Hall.
- Gather, U., Bauer, M., Imhoff, M., and Löhlein, D. (1998). Statistical pattern detection in univariate time series of intensive care on-line monitoring data. *Intensive Care Medicine* **24**, 1305–1314.
- Hall, P. and Titterton, D. M. (1992). Edge-preserving and peak-preserving smoothing. *Technometrics* **34**, 429–440.
- Imhoff, M. and Bauer, M. (1996). Time series analysis in critical care monitoring. *New Horizons* **4**, 519–531.
- McDonald, J. A. and Owen, A. B. (1986). Smoothing with split linear fits. *Technometrics* **28**, 195–208.
- Müller, H.-G. and Stadtmüller, U. (1999). Discontinuous versus smooth regression. *Ann. Statist.* **27**, 299–337.
- Seifert, B. and Gasser, T. (2000). Data adaptive ridging in local polynomial regression. *Journal of Comput. and Graph. Statistics* **9**, 338–360.




Figure 1: Kernel positions for an estimate at  $t=170$ .




Figure 2: Tutorial on different behavior of local constant, local linear and ridge estimate after a jump.

### Simulated data set




Figure 3: Simulated data set with local constant, local linear and ridged long term estimate using the alarm detection rule (3).




Figure 4: Development of the ridgeparameter  $\lambda_t$  over time for the simulated data set analyzed in Fig. 3.

### Cardio Beats




Figure 5: Cardio data with long and short term estimates. In the bottom the test statistic  $T_t$  is compared with the quantile  $u_{0.95} = 2.58$ . Vertical lines indicate the detection of breakpoints.



## ECG measurements




Figure 6: (a) ECG data with long term estimates for different degrees of ridging, using  $h_1 = 150, h_2 = 25, h = 200$ . The lines in the bottom indicate the alarm periods for  $c = 0$  (top),  $c = 30, c = 120, c = \infty$  (bottom). Alarm signals for  $t < 100$  are ignored, since the algorithm needs sufficient data points to work. (b) Test statistic  $T_t$  for  $c = 0, \dots, c = \infty$ , degrees of ridging symbolized like in (a). Alarm thresholds (horizontal lines) at  $\pm 2.58$ .

# Cardio Beats




Figure 7: Cardio data with predicted values (solid line), 95% confidence bands (dashed lines) and alarm detection at  $t=201$  (dotted line).




Figure 8: Cardio data from example 4.1. (for  $t = 1, \dots, 380$ ) plotted in a phase space.