

# **Archiv für Psychiatrie und Nervenkrankheiten**

# **Archives of Psychiatry and Neurological Sciences**

**Volume 233 1983**

---

## **Managing Editors**

J. Angst (Zürich) G. Baumgartner (Zürich)

## **Editors**

U. Baumann (Salzburg) H. Heimann (Tübingen) D. H. Ingvar (Lund) R. Jung (Freiburg i. Br.)  
P. Kleihues (Freiburg i. Br.) W. I. McDonald (London) W. T. McKinney (Madison, WI) P. Pichot (Paris)  
D. Ploog (München) N. Retterstøl (Oslo) M. Roth (Cambridge) W. Seeger (Freiburg i. Br.)  
E. Strömgren (Risskov) J. K. Wing (London)

## **Co-Editors**

N. Birbaumer (Tübingen) W. Bräutigam (Heidelberg) R. Cohen (Konstanz) B. Cooper (Mannheim)  
J. Cooper (Nottingham) H. Cramer (Freiburg i. Br.) L. Deecke (Ulm) R. Degkwitz (Freiburg i. Br.)  
E. De Renzi (Modena) J. Dichgans (Tübingen) P. Doerr (München) A. Dührssen (Berlin)  
G. Ettlinger (Bielefeld) H. Gähnshirt (Heidelberg) O. Gratzl (Basel) O. J. Grüsser (Berlin)  
P. Hartwich (Aachen) R. Hassler (Frankfurt/M.) C. Heeschen (Nijmegen) H. Hippius (München)  
G. Huber (Bonn) W. Janzarik (Heidelberg) J. E. Meyer (Göttingen) D. Müller (Hamburg)  
J. Peiffer (Tübingen) G. Peters (München) K. Poeck (Aachen) Ch. Scharfetter (Zürich)  
H. Schepank (Mannheim) M. Shepherd (London) G. Sedvall (Stockholm) H. Van Praag (Utrecht)  
E. Zerbin-Rüdin (München)



---

**Springer International**

**Archiv für Psychiatrie und Nervenkrankheiten**  
**Archives of Psychiatry and Neurological Sciences**

Founded in 1868. Edited by *B. Gudden, E. v. Leyden, C. and A. Westphal, O. Binswanger, K. Bonhoeffer, O. Bumke, H. Spatz* and others. Vols. 1–62 (1920) Berlin, August Hirschwald, from Vol. 63 Berlin, Springer.

From Vol. 118 (as Vols. 118–179) combined with *Zeitschrift für die gesamte Neurologie und Psychiatrie* through Vol. 213, No. 2 (1970).

Founded by *A. Alzheimer* and *M. Lewandowsky*. Edited by *O. Bumke, O. Foerster, R. Gaupp, K. Wilmanns, W. Spielmeyer, E. Rüdin* and others. Vols. 1–3 (1910) Berlin, Springer, and Leipzig, J. A. Barth, Band 4–178 (1944) Berlin, Springer.

Starting with Vol. 220 published as *Archiv für Psychiatrie und Nervenkrankheiten / Archives of Psychiatry and Neurological Sciences*.

Official Organ of the Gesamtverband Deutscher Nervenärzte.

Universitäts-  
Bibliothek  
München

**Copyright**

It is a fundamental condition that submitted manuscripts have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature, and translations.

Photographic reproduction, microform, or any other reproduction of text, figures, or tables from this journal is prohibited without permission obtained from the publisher.

The use of general descriptive names, trade names, trade marks, etc., in this publication, even if the former are not specifically identified, is not to be interpreted as exempt from the relevant protective laws and regulations and may accordingly be used freely by anyone.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors nor the editors nor the publisher can accept any legal responsibility for errors or omissions that may have been made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

*Special Regulations for the USA*

Photocopies may be made for personal or internal use beyond that permitted by Section 107 or 108 of the U.S. Copyright Law, provided a fee is paid. This fee is \$ 0.20 per page or a minimum of \$ 1.00 if an article consists of less than five pages. Please pay this fee to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0003-9373, volume, and first and last page numbers of each article copied.

The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying.

*Other Regulations*

Authors of this journal can benefit from library and photocopy fees collected by VG WORT if certain conditions are met. If an author lives in the Federal Republic of Germany or in West Berlin it is recommended that he contact Verwertungsgesellschaft WORT, Abteilung Wissenschaft, Goethestraße 49, D-8000 München 2, for detailed information.

Springer-Verlag Berlin Heidelberg New York

Printers: Petersche Druckerei GmbH & Co. Offset KG, Rothenburg o. d. Tbr.

© by Springer-Verlag, Berlin Heidelberg 1983

Printed in Germany

# Contents of Volume 233

No. 1 issued April 1983

**H. J. Schütz, O. Busse, O. Vuia**

Polyneuropathie nach Disulfiram-Intoxikation  
*Peripheral Neuropathy Caused by Disulfiram Intoxication*

1

**W. Sturm, W. Dahmen, W. Hartje, K. Willmes**

Ergebnisse eines Trainingsprogramms zur Verbesserung der visuellen Auffassungsschnelligkeit und Konzentrationsfähigkeit bei Hirngeschädigten

*Results of a Program for the Training of Perceptual Speed and Attention in Brain Damaged Patients*

9

**L. Deecke, B. Müller, B. Conrad**

Zur Standardisierung des elektromyographischen Tetanietests in der Diagnostik der normokalzämischen Tetanie: 10minütiger Troussseau bei Patienten und Gesunden

*Standardisation of the Electromyographic Tetany Test in the Diagnosis of Hyperventilation Syndrome: Troussseau's Test in Patients and Controls*

23

**M. M. Fichter, S. Weyerer, H. U. Wittchen, H. Dilling**

Psychotherapy Services and the Prevalence of Mental Disorders in Urban and Rural Areas

39

**H. Beckmann, M. Schmauß**

Clinical Investigations into Antidepressive Mechanisms. I. Antihistaminic and Cholinolytic Effects: Amitriptyline Versus Promethazine

59

**R. Horstmann, R. Hammers, P. Clarenbach, H. Cramer**

The Effects of Probenecid on Cyclic Adenosine 3', 5'-Monophosphate Levels in Cerebrospinal Fluid and on Brain Phosphodiesterase Activity in the Rat

71

No. 2 issued June 1983

**C. Perris, M. Eisemann, U. Ericsson, L. von Knorring, H. Perris**

Parental Rearing Behaviour and Personality Characteristics of Depressed Patients

77

**C. Perris, M. Eisemann, U. Ericsson, L. von Knorring, H. Perris**

Patterns of Aggression in the Personality Structure of Depressed Patients

89

**M. Stöhr, U. W. Buettner, H. Wiethölter, B. Riffel**

Combined Recordings of Compound Nerve Action Potentials and Spinal Cord Evoked Potentials in Differential Diagnosis of Spinal Root Lesions

103

**H. Cramer, H. Niederdelmann**

Cerebral Gigantism Associated with Jaw Cyst Basal Cell Naevoid Syndrome in Two Families

111

**M. C. Angermeyer, F. B. Balck, H. Hecker**

Sequential Patterning of Emotional Interaction in Families with a Schizophrenic Son

125

**W. Massing, M. C. Angermeyer**

Zur Frage saisonaler Schwankungen in der Manifestation psychischer Erkrankungen

*Seasonal Variation in Psychiatric Disorders*

139

**A. Torhorst, C. Wächtler, H. J. Möller**

Zum Problem der „Ernsthaftigkeit“ von Suizidversuchen

*On the 'Seriousness' of Attempted Suicides*

151

**No. 3 issued July 1983****P. Propping, T. Hilger, F. Haverkamp**

Is There an Increase of Reproductive Rates in Schizophrenics?

II. An Investigation in Nordbaden (SW Germany): Methods and Description of the Patient Sample

167

**T. Hilger, P. Propping, F. Haverkamp**

Is There an Increase of Reproductive Rates in Schizophrenics?

III. An Investigation in Nordbaden (SW Germany): Results and Discussion

177

**W. Günther, H. Gruber**Psychomotorische Störungen bei psychiatrischen Patienten als mögliche Grundlage  
neuer Ansätze in Differentialdiagnose und Therapie.I. Ergebnisse erster Untersuchungen an depressiven und schizophrenen Kranken  
*Psychomotor Disturbances in Psychiatric Patients as a Possible Basis for New Attempts  
at Differential Diagnosis and Therapy.**Results of Primary Investigations on Depressive and Schizophrenic Patients*

187

**K. Schmied, K. Ernst**Isolierung und Zwangsinjektion im Urteil der betroffenen Patienten und des Pflegepersonals.  
Eine begleitete Quartalsstichprobe*Seclusion and Emergency Sedation: Opinions of Patients and Nursing Staff*

211

**R. Gebhardt, A. Pietzker, A. Strauss, M. Stoeckel, C. Langer, K. Freudenthal**

Skalenbildung im AMDP-System

*Scale-Building in the AMDP-System*

223

**M. Grube, P. Hartwich**The Potential of Aggressiveness in Families of Schizophrenics  
in Relation to the Danger of Relapse

247

**C. R. Hornig, O. Busse, W. Dorndorf**

Protein Pattern of Cerebrospinal Fluid in Various Neurological Diseases

253

**P. Berlit, H. Betz, K.-H. Krause**

External Carotid Steal and Lateral Medullary Infarction—is there a Pathogenetic Connection?

263

## No. 4 issued September 1983

**E. Kono, R. Kono, K. Shida**Computerized Tomographies of 34 Patients at the Chronic Stage of Acute Carbon Monoxide  
Poisoning  
**271****C. W. Wallesch, H. H. Kornhuber, C. Köllner, H. C. Haas, J. M. Hufnagl**Language and Cognitive Deficits Resulting from Medial and Dorsolateral Frontal Lobe Lesions  
**279****H. Gerhard, J. Jörg, I. Selter, H. Jansen**Spinale und cerebrale SEP bei Einzel- und Doppelreiz des N. tibialis  
*Spinal and Cerebral SEP Following Single and Double Stimulation of the Tibial Nerve*  
**297****J. Hunger, J. Kleim**Testpsychologische Leistungsprüfungen bei Epileptikern  
*Psychological Tests by Epileptic Patients*  
**307****M. Rösler, W. Bellaire, G. Hengesch, D. Giannitsis, A. Jarovici**Genetic Markers in Alcoholism: No Association with HLA  
**327****H. Reinecker, H. Zauner**Kritische Lebensereignisse als Risikofaktoren des Alkoholismus  
*Critical Life-Events as Risk-Factors for Alcoholism*  
**333**

## No. 5 issued November 1983

**F. Strian, C. Klicpera**Anxiety in Schizophrenic Psychoses  
**347****J. Modestin, I. Abrecht, W. Tschaggelar, H. Hoffmann**Diagnosing Borderline. A Contribution to the Question of its Conceptual Validity  
**359****M. Bartels, J. Themelis**Computerized Tomography in Tardive Dyskinesia.  
Evidence of Structural Abnormalities in the Basal Ganglia System  
**371****A. Májský, M. Vojtěchovský**Non-Relationship between the HLA System and the Senile form of Alzheimer's Disease  
**381****M. Zaudig, G. Vogl**Zur Frage der operationalisierten Diagnostik schizoaffektiver und zykloider Psychosen  
*A Comparison of Different Operationalized Diagnostic Criteria for Schizoaffective and Cycloid Psychoses*  
**385****E. Gründig, W. Mayer, F. Gerstenbrand**Zur Biosynthese von Aminosäuren aus Glukose im Zentralnervensystem beim Parkinsonsyndrom  
*Biosynthesis of Amino Acids in Human Central Nervous System and Parkinsonism*  
**397**

**M. Kaps, G. Kisselbach**  
Stimmbandmyoklonus.

Ein kasuistischer Beitrag zum Syndrom der Arteria cerebelli inferior posterior  
*Myoclonus of the Vocal Cord. A Casuistic Contribution to the Syndrome of the Posterior Inferior Cerebellar Artery*  
**409**

**No. 6 issued December 1983**

**H. H. Kornhuber**

Chemistry, Physiology and Neuropsychology of Schizophrenia: Towards an Earlier Diagnosis of Schizophrenia I  
**415**

**O. Hagnell, J. Lanke, B. Rorsman, R. Öhman, L. Öjesjö**

Current Trends in the Incidence of Senile and Multi-Infarct Dementia. A Prospective Study of a Total Population Followed over 25 Years; the Lundby Study  
**423**

**H. C. Leopold, M. Doerr, U. Thoden**

Cervico-Ocular Responses (COR) During Slow Sinusoidal Head Movements in Subjects with Bilateral Labyrinthine Lesions  
**439**

**P. Schulz, A. E. Balant-Gorgia, A. Kubli, C. Gertsch-Genet, G. Garrone**

Elimination and Pharmacological Effects Following Single Oral Doses of 50 and 75 mg of Amitriptyline in Man  
**449**

**G. Ulrich, G. Zeller, H.-D. Mühlbauer**

Studien zum Lateralitätsverhalten stationär behandelter endogener Depressiver  
*Functional Asymmetry in Endogenous Depressive Inpatients*  
**457**

**W. Lutzenberger, N. Birbaumer, B. Rockstroh, T. Elbert**

Evaluation of Contingencies and Conditional Probabilities. A Psychophysiological Approach to Anhedonia  
**471**

**H. Perris**

Deprivation in Childhood and Life Events in Depression  
**489**

**H. Strenge, A. Gundel**

Multivariate Analysis of Somatosensory Evoked Potential Parameters in Normal Adults  
**499**

**R. Gebhardt, A. Pietzcker**

Zur Validierung der AMDP-Syndromskalen  
*Validity of the Syndrome Scales in the AMDP-System*  
**509**

Indexed in Current Contents

## Author Index of Volume 233

Abrecht, I. 359  
Angermeyer, M. C. 125, 139  
Balant-Gorgia, A. E. 449  
Balck, F. B. 125  
Bartels, M. 371  
Beckmann, H. 59  
Bellaire, W. 327  
Berlit, P. 263  
Betz, H. 263  
Birnbaumer, N. 471  
Buettnner, U. W. 103  
Busse, O. 1, 253  
Clarenbach, P. 71  
Conrad, B. 23  
Cramer, H. 71, 111  
Dahmen, W. 9  
Deecke, L. 23  
Dilling, H. 39  
Doerr, M. 439  
Dorndorf, W. 253  
Eisemann, M. 77, 89  
Elbert, T. 471  
Ericsson, U. 77, 89  
Ernst, K. 211  
Fichter, M. M. 39  
Freudenthal, K. 223  
Garrone, G. 449  
Gebhardt, R. 223, 509  
Gerhard, H. 297  
Gerstenbrand, F. 397  
Gertsch-Genet, C. 449  
Giannitsis, D. 327  
Grube, M. 247  
Gruber, H. 187  
Gründig, E. 397  
Gundel, A. 499  
Günther, W. 187  
Haas, H. C. 279  
Hagnell, O. 423  
Hammers, R. 71  
Hartje, W. 9  
Hartwich, P. 247  
Haverkamp, F. 167, 177  
Hecker, H. 125  
Hengesch, G. 327  
Hilger, T. 167, 177  
Hoffmann, H. 359  
Hornig, C. R. 253  
Horstmann, R. 71  
Hufnagl, J. M. 279  
Hunger, J. 307  
Jansen, H. 297  
Jarovici, A. 327  
Jörg, J. 297  
Kaps, M. 409  
Kisselbach, G. 409  
Kleim, J. 307  
Klicpera, C. 347  
Knorring, L. von 77, 89  
Köllner, C. 279  
Kono, E. 271  
Kono, R. 271  
Kornhuber, H. H. 279, 415  
Krause, K.-H. 263  
Kubli, A. 449  
Langer, C. 223  
Lanke, J. 423  
Leopold, H. C. 439  
Lutzenberger, W. 471  
Májský, A. 381  
Massing, W. 139  
Mayer, W. 397  
Modestin, J. 359  
Möller, H. J. 151  
Mühlbauer, H.-D. 457  
Müller, B. 23  
Niederdellmann, H. 111  
Öhman, R. 423  
Öjesjö, L. 423  
Perris, C. 77  
Perris, H. 77, 89, 489  
Pietzcker, A. 223, 509  
Propping, P. 167, 177  
Reinecker, H. 333  
Riffel, B. 103  
Rocksroh, B. 471  
Rösler, M. 327  
Rorsman, B. 423  
Schmauß, M. 59  
Schmied, K. 211  
Schütz, H. J. 1  
Schulz, P. 449  
Selter, I. 297  
Shida, K. 271  
Stoeckel, M. 223  
Stöhr, M. 103  
Strauss, A. 223  
Strenge, H. 499  
Strian, F. 347  
Sturm, W. 9  
Themelis, J. 371  
Thoden, U. 439  
Torhorst, A. 151  
Tschaggelar, W. 359  
Ulrich, G. 457  
Vogl, G. 385  
Vojtěchovský, M. 371  
Vuia, O. 1  
Wächtler, C. 151  
Wallesch, C. W. 279  
Weyerer, S. 39  
Wiethölter, H. 103  
Willmes, K. 9  
Wittchen, H. U. 39  
Zaudig, M. 385  
Zauner, H. 333  
Zeller, G. 457

## External Carotid Steal and Lateral Medullary Infarction – is there a Pathogenetic Connection?

Peter Berlit, Heribert Betz, and Klaus-Henning Krause

Neurologische Universitätsklinik Heidelberg  
(Ärztlicher Direktor: Prof. Dr. med. H. Gänshirt),  
Voßstraße 2, D-6900 Heidelberg, Federal Republic of Germany

**Summary.** The case of a patient with occlusion of the external carotid artery is reported; he suffered from vertebrobasilar insufficiency with Wallenberg's syndrome. Arteriography showed stealing of intracranial blood from the vertebral artery via the occipital artery, and thromboendarterectomy was successfully performed. Since no localised processes could be demonstrated could the lateral medullary infarction be due to the haemodynamic changes? In cases of external carotid steal thromboendarterectomy might be the appropriate treatment.

**Key words:** External carotid steal – Occipital artery – Wallenberg's syndrome – Thromboendarterectomy

**Zusammenfassung.** Es wird der Fallbericht eines Patienten mitgeteilt, der bei einem Verschluß der A. carotis externa das Bild einer vertebrobasilären Insuffizienz mit Wallenberg-Syndrom bot. Die Arteriographie zeigte ein Steal-Syndrom aus der A. vertebralis über die Occipitalarterie. Eine erfolgreich durchgeführte Thrombendarteriektomie brachte Beschwerdefreiheit. Bei fehlenden lokalisierten Gefäßveränderungen muß die Möglichkeit der hämodynamischen Verursachung des lateralen Oblongatasyndromes diskutiert werden. In solchen Fällen könnte die Thrombendarteriektomie eine kausale Behandlungsmethode darstellen.

**Schlüsselwörter:** Wallenberg-Syndrom – Intrakranielles Steal-Syndrom – Occipitalarterie – A. carotis externa – Thrombendarteriektomie

### Introduction

Since the description of the subclavian steal syndrome [3] haemodynamic factors for the development of ischaemic brain lesions became of greater interest [11]. In

*Offprint requests to:* P. Berlit at the above address

this condition the reversed blood flow in the vertebral artery causes recurrent brain stem ischaemia—transitory symptoms are more common than brain infarctions [7]. Similar extracranial steal syndromes have been reported in occlusions of the brachiocervical trunk and the common carotid artery.

Fazio [5] demonstrated intracranial steal phenomena in patients with variations of the circle of Willis. Brain infarctions on the opposite side of a vascular occlusion seem to be due to the diversion of blood flow.

Vertebrobasilar symptoms caused by haemodynamic factors in occlusions of the external carotid artery have been described by Barnett et al. [1]; they observed such symptoms as vertigo, drop attacks and visual loss. Most of their cases had atherosclerotic lesions beside the external carotid occlusion. While the development of brain infarction in subclavian steal syndrome is easily explained to be due to the haemodynamic changes it is rather difficult to prove the theory of external carotid steal.

We would like to report the case of a patient with an occlusion of the external carotid artery accompanied by Wallenberg's syndrome in view of the possible connection between the two findings.

### Case Report


A 52-year-old bricklayer was admitted to our clinic in October 1979. On September 26th whilst walking outside he experienced sudden vertigo, followed by a sensory disturbance of the left side and dysarthria. Because of increasing unsteadiness in walking and repeated vertigo attacks the patient was transferred to us from his home town hospital.

He had a history of vision disorder with a convergent strabismus and nystagmus since birth, and had had a stroke in 1966 with a left hemiparesis, which improved within a few weeks.

On neurological examination he had in addition to his ophthalmological symptoms a sensory loss in the region of the trigeminal nerve with a diminished corneal reflex and a palate paresis on the right side. There was ataxia of the right arm and leg in the finger-to-nose and heel-to-skin tests combined with disturbed alternating movements. On the left side there was a hypalgesia and diminished temperature perception. The deep tendon reflexes were brisker on the left with a positive sign of Babinski (residuals of the old supratentorial infarction). Apart from a minimal stenosis of the right vertebral artery at its origin arteriography showed an occlusion of the right external carotid artery, which was filled retrograde from connections between the occipital artery and muscular branches of the vertebral artery (Fig. 1a and b). Beside this anastomosis there were collaterals from the ascending and deep cervical arteries. Left retrograde brachial injection showed adequate filling of the vertebral artery, and there were normal findings on cranial computed tomography.

During his hospitalization the patient suffered from repeated vertigo attacks, even during treatment with acetylsalicylic acid and dextran infusions. At the end of October 1979 the patient underwent surgical treatment: thromboendarterectomy of the carotid bifurcation and plastic reconstruction with a vein patch from the leg.

Though there was a complete occlusion of the external carotid artery at its origin the blood pressure measurement during operation was 90 mm Hg in the artery indicating the sufficiency of the collateral supply. There was no hypertrophy of the thyroid artery, the lingual or the facial artery; and it seemed unlikely that the blood came via these branches. The operation was successfully carried out, and at follow-up the patient remained symptom free,—in particular he had had no more vertigo attacks. Pathological examination of the vessel revealed an atherosclerotic lesion. On re-examination in February 1981 there was no palate paresis, the disturbance of pain and temperature perception had diminished and the hemiataxia had completely disappeared.



a



b

**Fig. 1a, b.** Right retrograde brachial injection (preoperative) showing occlusion of the external carotid artery. Retrograde filling of the occipital artery (a) via muscular branches of the vertebral artery (b)



a

**Fig. 2a, b.** Right retrograde brachial injection (postoperative) anteroposterior (a) and lateral projections (b). Carotid and vertebral vessels are well visualized. Circulation in the region of operation is restored. No retrograde filling of the external carotid artery via collaterals

An angiographic study was performed using a retrograde right brachial injection, and this time the carotid arteries were normal with a normal lumen. There was no longer any retrograde filling of the external carotid artery from the vertebral artery, and there was no change in the slight stenosis at the origin of the vertebral artery (Fig. 2a and b).

On re-examination on October 22nd 1982 there was still a discrete disturbance of pain and temperature, though the patient had been symptom free. Angiographic study again showed normal findings at the site of the operation, but this time there was a stenosis of the left internal carotid artery at its origin. A thromboendarterectomy of this asymptomatic stenosis was carried out successfully and pathological examination again showed an atherosclerosis of the vessel.

## Discussion

Since Wallenberg reported in 1895 [15, 16] a case of lateral medullary infarction caused by an embolic occlusion of the posterior inferior cerebellar artery the



Fig. 2b

combination of cranial nerve V, IX, X-paresis, Horner's syndrome, ataxia ipsilateral and loss of pain and temperature sensation on the contralateral side is well known as Wallenberg's syndrome. The most common causes are occlusions of the A. cerebellaris inferior posterior, the vertebral artery [4, 6, 7], or lesions of the A. cerebellaris inferior anterior [17]. Our patient suffered from the typical symptom-combination of Wallenberg's syndrome. Since no occlusion of the inferior cerebellar arteries or the vertebral artery was demonstrable one has to suppose the lateral medullary infarction to be related to a circulatory abnormality.

Beside the external carotid obliteration our patient had a slight stenosis at the origin of the right vertebral artery while the remaining vertebral-basilar vessels had no atheromatous changes. Angiographic examination revealed a diversion of vertebral flow into the occipital artery. This vessel is the most important connection between the vertebral and the external carotid territory [2, 7, 10, 12-14]. From the radiological point of view there is no doubt, that the external carotid artery in this case was "stealing" intracranial blood via the vertebral artery. But could this finding possibly be related to the oblongata syndrome?

The collateral circulation in external carotid occlusion may take place in four different arterial anastomoses:

1. from the external carotid artery of the opposite side;
2. from the internal carotid artery via the ophthalmic artery;
3. from the ascendent and the deep cervical artery, and
4. from the vertebral artery of the same side via the occipital artery via muscular branches [1-2, 7-10, 12-14].

Of these four connections the second and the fourth are of special clinical interest, because they are extra-intracranial anastomoses, which may cause neurological symptoms in external carotid occlusion. Clinical deficits related to the internal carotid territory may be caused by external carotid obliteration because of interruption of important collaterals in internal carotid occlusive disease [7]. On the other side "steal" of blood from the vertebral artery can produce clinical signs directly. Barnett et al. [1] reported five patients with vertebrobasilar symptoms in external carotid occlusion; they described vertigo, drop attacks and transient bilateral visual loss. Three of the patients had stenoses of the subclavian, innominate or vertebral artery in addition to external carotid occlusion. Multiple vascular lesions are probably an important factor in this steal syndrome.

It is most likely that both the slight vertebral artery stenosis at its origin and the external carotid steal in our case caused the neurological deficits diminishing the blood flow to the dependent region. This supposition is supported by the high blood pressure in the external carotid artery measured during the operation and the reversal of blood flow in arteriography. Since the remaining branches of the external carotid artery showed no hypertrophy the occipital artery has to be responsible for the blood supply of the occluded vessel. There still remains the possibility of an embolic occlusion followed by fragmentation of the embolus with a negative result in the arteriography. But in vascular medullary syndromes an embolic aetiology is rather seldom [17], and our patient suffered from a multilocular atherosclerosis.

The appropriate treatment of extracranial arterial occlusive disease is—depending on the clinical findings and the condition of the other brain supporting vessels—the thromboendarterectomy [1, 4, 7]. Barnett et al. [1] found improvement of cerebral circulation in three of five surgically treated patients with freedom from symptoms. Our patient remained completely free of vertebrobasilar complaints such as vertigo attacks, and the deficits related to his lateral medullary infarction clearly diminished. The improvement of cerebral circulation was further confirmed by angiography. These findings support the theory of a haemodynamic aetiology in our patient.

This case may illustrate the significance of a complete angiographic study of all brain supporting vessels in cerebral infarction. An occlusion of the external carotid artery may cause vertebrobasilar symptoms depending on haemodynamic changes—one has to consider the possibility of external carotid blood steal at the expense of the brain. In these cases surgical treatment by thromboendarterectomy should be considered.

## References

1. Barnett HJM, Wortmann G, Gladstone RM, Lougheed WM (1970) Diversion and reversal of cerebral blood flow. External carotid artery "steal". *Neurology* 20: 1-14
2. Ciba K, Kröger M (1975) Collateral circulation between the internal and external arteries after occlusion of the external carotid artery. *Neuroradiology* 8: 289-294
3. Contorni L (1960) Il circolo collaterale vertebro-vertebrale nella obliterazione dell'arteria subclavia alla sua origine. *Minerva Chir* 15: 268-274

4. DeBakey ME, Crawford ES, Fields WS (1961) Surgical treatment of patients with cerebral arterial insufficiency associated with extracranial arterial occlusive lesions. *Neurology* 11: 145-149
5. Fazio C (1969) "Haemodynamic" factors in pathogenesis of brain infarct. *Eur Neurol* 2: 76-82
6. Fisher CM, Karnes WE, Kubik CS (1962) Lateral medullary infarction - the pattern of vascular occlusion. *J Neuropathol Exp Neurol* 20: 323-379
7. Gänshirt H (Hrsg) (1972) *Der Hirnkreislauf*. Georg Thieme, Stuttgart
8. Hessel SJ, Rosenbaum AE (1974) True and false external carotid steals. *Clin Radiol* 25: 303-307
9. Kameyama M, Okinaka S (1963) Collateral circulation of the brain. *Neurology* 13: 279-286
10. Lasjaunias P, Théron J, Moret J (1978) The occipital artery. *Neuroradiology* 15: 31-37
11. Pratesi F, Capellini M, Macchini M, Nuti A, Deidda C, Caramelli L (1968) The innominate steal. *Vasc Dis* 5: 214-225
12. Richter HR (1953) Collaterals between the external carotid artery and the vertebral artery in cases of thrombosis of the internal carotid artery. *Acta Radiol (Stockholm)* 40: 108-112
13. Schürmann K (1954) Darstellung der Arteria vertebralis und ihrer Äste im Angiogramm von der Arteria carotis externa aus. *Zentralbl Neurochir* 6: 362-365
14. Schulze HAF, Sauerbrey A (1956) Zur Frage der Anastomosen zwischen der Arteria vertebralis und der Arteria occipitalis. *Zentralbl Neurochir* 2: 76-80
15. Wallenberg A (1895) Acute Bulbäraffection (Embolie der Art. cerebellar. post. inf. sinistr.?) *Arch Psychiat Nervenkr* 27: 504-540
16. Wallenberg A (1901) Anatomischer Befund in einem als „acute Bulbäraffection (Embolie der Art. cerebellar. post. inf. sinistr.?)“ beschriebenen Falle. *Arch Psychiat Nervenkr* 34: 923-959
17. Wessely P, Zeiler K (1981) Klinische und angiographische Befunde bei vaskulären Ob-longatasyndromen. *Arch Psychiat Nervenkr* 230: 293-305

Received February 14, 1983